

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "2025-03-02" in accordance with the phase out period set out in RVD2023-06. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

EVERCIDE® Flea & Tick Pet Spray 2412

Pressurized Spray Residually Kills Dog Fleas, Brown Dog Ticks and American Dog Ticks.

DOMESTIC

REGISTRATION NO. 22591

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

FOR USE ONLY ON DOGS
DO NOT USE ON PUPPIES LESS THAN 12 WEEKS OLD
DO NOT USE ON PUPPIES WEIGHING LESS THAN 0.2268 KG
DO NOT USE ON CATS, KITTENS OR ANY OTHER ANIMAL

ACTIVE INGREDIENT:

| | |
|-----------------|--------|
| Pyrethrins..... | 0.056% |
| Permethrin..... | 0.050% |

Contains sodium benzoate at 0.20% as a preservative

EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN



CAUTION

POISON

EXPLOSIVE

NET CONTENTS _____

Manufactured by:



7325 Aspen Lane North
Minneapolis, MN 55428
U.S.A.
(763) 544-0341

EPA Est. No. 1021-MN-2

Valent Canada Inc., 201-230 Hanlon Creek Blvd., Guelph, Ontario N1C 0A1, (519) 767-9262

DIRECTIONS FOR USE

Use Limitations

FOR USE ONLY ON DOGS OR PUPPIES OVER 12 WEEKS OLD AND WEIGHING OVER 0.2268 KG:
DO NOT use on puppies under 12 weeks of age. Do not use on dogs or puppies weighing less than 0.2268 kg.

Consult a veterinarian before using on sick, aged, pregnant or nursing dogs or dogs receiving drug or other pesticide treatment. This product contains permethrin. DO NOT apply another pest control product such as a spot on, collar, or powder which contains permethrin to the treated animal when using EVERCIDE® Flea & Tick Spray 2412.

DO NOT USE ON ANY OTHER ANIMAL

DO NOT apply indoors as a broadcast application.

DO NOT apply to furniture, mattresses, linens, toys or clothing.

DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces, small storage rooms, closets).

Ventilate treated areas after application by opening windows and doors, or using fans where required to aid in the circulation of air.

DO NOT apply when people or pets [or livestock] are present.

DO NOT allow people or pets [or livestock] to enter treated areas until sprays have dried.

DO NOT allow spray to drip or allow drift onto non-target surfaces.

DO NOT apply as a space spray

Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur consult your veterinarian or 1 888 740 8712. This product contains pyrethrins. Do not apply another pest control product such as a shampoo, spot-on, spray, collar, or powder that contains pyrethrins to the treated animal after applying this product.

TO KILL DOG FLEAS AND AMERICAN AND BROWN DOG TICKS ON DOGS: Use ONLY in a well-ventilated area, preferably outdoors. Shake well before using. Hold the container in an upright position and spray the dog from a distance of 20-30 centimeters. Spray the entire body of the dog, beginning at the tail and working towards the head. Do NOT spray dog's face, eyes or genitals. As you spray, fluff the hair of the dog. Only spray until the hair is damp – not wet. Spray ticks directly. Pay special attention to neck, hindquarters, areas under the legs, around the tail and between the toes.

2023-1657

2024-01-25

Label Correction made 2024-02-28

DO NOT USE ON DOGS LESS THAN 12 WEEKS OLD. Do not use on dogs or puppies weighing less than 0.2268 kg. **DO NOT USE ON ANY OTHER ANIMAL.** Do NOT use this spray more often than once every 2 weeks. Treatment must be repeated only if the pest problem persists or reoccurs. Repeat every 2 weeks for continual pest control in situations where there is an ongoing risk of pest infestation. For effective flea and tick control, treatment of the dog should be combined with sanitation of any area used by the dog. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the dog's bedding, living quarters and surrounding areas. If pest problems persist, a premise treatment with an insecticide labelled for that use may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the dog. Avoid direct spray of dog's mouth, face eyes and genitals.

This product will kill fleas up to 14 days on dogs and will kill ticks for 4 days on dogs.

PRECAUTIONS:

PHYSICAL AND CHEMICAL HAZARDS: Caution Flammable: Contents under pressure. Do NOT place in hot water or near radiators, stoves or other sources of heat. Do NOT puncture or incinerate container even when empty. Do NOT store at a room temperature over 54°C. Keep away from open flames or sparks.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with treated animals until dried. Harmful if swallowed inhaled or absorbed through skin. May irritate eyes, nose and throat. Avoid contact with mouth, eyes, skin and clothing. Avoid breathing fumes or vapours. Wear rubber gloves during application of this product. Avoid contact with pet until dry. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds.

FIRST AID:

HUMANS: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment. In case of Medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, information may be obtained by calling 1-888-740-8712.

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: **DO NOT** reuse empty container. When container is empty, press valve to release all pressure. Wrap container in several layers of newspaper and discard in trash. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

STORAGE: Store in a cool dry area away from heat or open flame. Store this product away from food or feed.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Product Act to use this product in a way that is inconsistent with the directions on the label.