

2019-6709
2020-07-10

This product has been cancelled effective as of 21 August 2023.
Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

Terand

WASP & HORNET KILLER

PRESSURIZED CONTACT AND RESIDUAL INSECTICIDE SPRAY

COMMERCIAL

SHAKE WELL BEFORE USING

ACTIVE INGREDIENT

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl Bicycloheptene Dicarboximide	0.166%
Propoxur	0.500%

REGISTRATION NO. 22661 PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

Net Contents: 400 g

K-G Spray-Pak Inc.
8001 Keele Street
Vaughan, ON L4K 1Y8
1-800-361-0094

2019-6709

2020-07-10

FOR THE CONTROL OF WASPS, BEES, HORNETS AND YELLOW JACKETS.

LIMITATIONS: DO NOT use inside homes. DO NOT use as a space spray. NOT INTENDED FOR HOUSEHOLD USE.

Do not use in indoor residential areas. Indoor residential areas are defined as any indoor use site where bystanders including children could be exposed during or after application. This includes homes, hospitals, schools, public buildings, day care facilities, motels, hotels, passenger areas of trains, buses or airplanes, and other indoor locations where the general public including children may be exposed.

Outdoor application is limited to crack and crevice, structural and stinging insect nest treatments and must not be applied to vegetation, plants, grass and/or any area accessible to children.

DIRECTIONS:

SHAKE WELL BEFORE USE. Remove protective cap. Press the nozzle and completely saturate the nest from a distance of 2 to 3 meters. Allow sufficient time for insects to become dead or moribund. Applications to wasp nests should be made in late evening or early morning (if possible) when insects are at rest. Application on livestock intended for food production is prohibited. DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed, inhaled or absorbed Through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not contaminate food preparation areas. Toxic to fish and wildlife. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50°C as container may burst. Do not use in the presence of open flames or sparks. Do not smoke while using this product. DO NOT apply when people or pets or livestock are present. DO NOT allow people or pets or livestock to enter treated areas until sprays have dried. DO NOT allow spray to drip or allow drift onto non-target surfaces. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, shoes and socks during application, clean-up and repair.

FIRST AID:

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce

2019-6709

2020-07-10

vomiting unless told to do so by the poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains Petroleum Distillate. Vomiting may cause aspiration pneumonia.

Propoxur is a carbamate which is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include malaise, muscle weakness, dizziness and sweating. Headache, salivation, nausea, vomiting, abdominal pain and diarrhea are often prominent. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). However, if a blood sample is taken several hours after exposure, it is unlikely that blood cholinesterase activities will be depressed, due to rapid reactivation of cholinesterase. Atropine, only by injection, is the preferable antidote. Do not use pralidoxime. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy.

DISPOSAL: When container is empty, press valve to release all remaining pressure. DO NOT puncture or incinerate container. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label..