

[FRONT PANEL]

Sergeant's PreTect Squeeze-On
Flea, Tick & Mosquito Control for Dogs (up to 15 kg)
Solution



DO NOT USE ON CATS

Toxic to cats. Cats that actively groom or engage in close physical contact with treated dogs may be at risk of serious harm, including death.



CAUTION

POISON

DOMESTIC

FOR USE ONLY ON DOGS [Up to 15 kg]

- with Nylar® Insect Growth Regulator
- Controls fleas, ticks and mosquitoes for 3 weeks.
- Inhibits flea egg development for 2 months.
- Reinfestating fleas are killed within 1 hour.

KEEP OUT OF REACH OF CHILDREN

REG. NO. 28113 P.C.P. ACT

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT: Permethrin 45.0% Pyriproxyfen 1.9%

NET CONTENTS: 1-6 x 1.5 mL applicators

Rolf C. Hagen Inc.
20500 Trans Canada Hwy
Baie Durfe, Qc. H9X 0A2
Canada
Telephone: 800-554-2436

Sergeant's PreTect Squeeze-On Flea, Tick & Mosquito Control for Dogs (up to 15 kg) is an effective and easy to use product. It inhibits flea eggs laid on treated dogs from developing into biting adults for 2 months and controls fleas, mosquitoes, brown dog ticks, blacklegged (deer) ticks and American dog ticks for up to 3 weeks. Ticks present on the animal at the time of treatment may take several days to die. For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets, furniture, etc. (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required.

DIRECTIONS FOR USE:

This product contains permethrin and pyriproxyfen. Do not apply another pest control product such as a shampoo, collar, or powder that contains permethrin and pyriproxyfen to the treated animal after applying Sergeant's PreTect Squeeze-On Flea, Tick & Mosquito Control for Dogs (up to 15 kg).

Use ONLY on dogs over 3 months of age and weighing up to 15 kg. DO NOT USE ON CATS OR OTHER ANIMALS. Do not get this product in dog's eyes. DO NOT administer by mouth. Do not apply more often than once every 3-4 weeks. Reapply every month for continual pest control where there is an ongoing risk of infestation. Efficacy of the product may be affected by washing the pet. IF ONLY TICKS OR MOSQUITOES ARE A PROBLEM, IT IS NOT NECESSARY TO USE A PRODUCT WHICH CONTAINS PYRIPROXYFEN.

HOW TO APPLY: Apply the entire content of one tube (1.5 mL) of Sergeant's PreTect Squeeze-On Flea, Tick & Mosquito Control for Dogs (up to 15 kg) solution on one dog. Remove product tube from packaging by tearing along perforation. Hold the tube with notched end pointed up and away from face and body, cut off notched end of tube. Use narrow end of tube to part dog's hair and invert tube over the dog. Squeeze tube firmly to apply all the solution to the dog's back at skin level between the shoulder blades. Wrap the emptied tube and put in garbage.

A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

Consult a veterinarian before using on sick, aged, pregnant or nursing animals receiving drug or other pesticide treatments.

PRECAUTIONS HUMANS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with pets until the product has completely dried. Not for use on humans. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. May cause eye irritation. Wear rubber gloves when applying. Wash hands thoroughly with soap and water after handling. Use only in well ventilated area preferably outdoors. May be harmful if inhaled. Avoid breathing vapours.

PRECAUTIONS PETS: For external use on dogs only. Consult a veterinarian before using on pregnant, sick, or animals under drug or other pesticide treatment. Do not use on nursing animals or animals under 3 months of age. Discontinue use if adverse effects are observed. If condition persists, consult your veterinarian. DO NOT USE ON CATS or animals other than dogs. Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching, changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Rolf C. Hagen Inc. at 1-800-554-2436.

FIRST AID HUMANS: IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

FIRST AID PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label or product name and PCP Registration Number with you when seeking medical or veterinary attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Reactions in dogs may include skin sensitivity. Dogs may show lethargy, increased pruritis (itchiness), erythema (redness), rash and hair discolouration or hair loss at the application sites.

STORAGE AND DISPOSAL: Store in a cool, dry place. Do not re-use empty container. Wrap and dispose of empty container with household garbage.

®Nylar is a registered trademark of McLaughlin Gormley King Company.

TUBE LABEL

Sergeant's PreTect Squeeze-On Flea, Tick & Mosquito Control For Dogs (up to 15 kg)

1.5 mL

DOMESTIC

ACTIVE INGREDIENT:
PERMETHRIN 45.0%
PYRIPROXYFEN 1.9%
REG NO. 28113 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN



CAUTION

POISON

Toxic to cats

READ THE PACKAGE LABEL BEFORE USING

Rolf C. Hagen Inc.