

2020-08-20
Sub.No. 2020-3006

BACTRON K-56 OILFIELD SOLID FORM BIOCIDES COMMERCIAL GUARANTEE: 2 – BROMO -2-NITROPROPANE – 1, 3 – DIOL...84.5% (100 g Active Ingredient/Stick) REGISTRATION NO. 22318 PEST CONTROL PRODUCTS ACT DANGER CORROSIVE TO EYES AND SKIN POTENTIAL SKIN SENSITIZER DANGER POISON CAUTION IRRITANT READ THE LABEL BEFORE USING NET CONTENTS – 5.9 KG (50 STICKS)

ChampionX Canada ULC
6040 46TH STREET SE
CALGARY, AB
T2C 4P9
403-234-7881

PHONE IN CASE OF EMERGENCY: CHEMTREC 1 (800) 463-3216 (24 hours)

PRECAUTIONS KEEP OUT OF REACH OF CHILDREN Corrosive to eyes and skin. POTENTIAL SKIN SENSITIZER. FATAL IF SWALLOWED. DO NOT swallow. DO NOT inhale dust. DO NOT get in eyes, on skin or on clothing. Avoid contamination of food. Wear goggles or a face shield, chemical resistant gloves, long pants, a long sleeved-shirt, shoes and socks during mixing/loading, clean up and repair. Formaldehyde can be released during use of this product. It is recommended that this product not be used in circumstances that would result in formaldehyde air concentrations in the workplace exceeding the exposure levels established by occupational health and safety authorities in your jurisdiction. If values exceed this level, it is recommended that NIOSH approved respiratory protection be worn. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/protective equipment immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing and required protective equipment prior to resuming your previous work activity. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Do not apply by open pouring of the liquid to cooling water systems; a metering pump is required for this use.

FIRST AID INSTRUCTIONS

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

2020-08-20
Sub.No. 2020-3006

TOXICOLOGICAL INFORMATION This product is corrosive to skin and eyes and may produce a sensitization response or allergic reaction in some individuals. Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND HANDLING Store away from oxidizing materials, heat and source of ignition, food and food containers. Avoid contact with metal. Where there is a risk of contact, wear protective clothing.

ENVIRONMENTAL HAZARD This pesticide is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. DO NOT contaminate water by cleaning up equipment or disposal.

SPILLAGE Immediately sweep up and remove, then clean the area with detergent and water.

DIRECTIONS FOR USE OILFIELD APPLICATIONS Use 100 ppm active ingredient based on the water content of the system until control is achieved. Maintenance dosage 10-25 ppm. In all applications, cut or open the bag to expel the product into the system in the areas specified below.

IN ALL CASES AVOID SKIN CONTACT. WEAR CHEMICAL RESISTANT GLOVES

GAS WELLS

Introduce through wellhead valving system, so product drops down tubing.

OIL WELLS Drop down tubing when sucker rods are pulled.

COOLING TOWERS Pre-clean heavily fouled systems (e.g. with chlorine). Shock doses of 100 ppm based on the water content of the system may be used until control is achieved. Maintenance dosage 15-50 ppm. Cut or open the bag to expel the product directly into the sump of the system at a convenient point.

NOTICE TO USER This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DISPOSAL For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills. _____