

2022-0656

2022-05-24

SCM METAL PRODUCTS CUPROUS OXIDE

SOLID

FOR MANUFACTURING, FORMULATING OR REPACCKING USE AS AN ANTIFOULANT INGREDIENT, AN ALGAECIDE/MILDEWCIDE IN ROOFING MATERIALS, INCLUDING ROOFING GRANULES, A WOOD PRESERVATIVE OR A SANITIZER

READ THE LABEL BEFORE USING
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

ACTIVE INGREDIENT: Copper, present as cuprous oxide and related copper compounds 88.44%

REGISTRATION NO. 22327 PEST CONTROL PRODUCTS ACT

DANGER



POISON

EYE AND SKIN IRRITANT

NET CONTENTS: 225-1000 kg

SCM Metal Products, Inc.
2601 Weck Drive
P.O. Box 12166
Research Triangle Park, NC 27709-2166 USA
Telephone: 919-544-8090

2022-0656

2022-05-24

DIRECTIONS FOR USE: To be used only in the manufacture of pesticides which are registered under the **PEST CONTROL PRODUCTS ACT**.

PRECAUTIONS: PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

Harmful if swallowed. Severely irritating to skin. May cause eye irritation. Do not get on skin. Avoid contact with eyes and clothing. Do not inhale dust. Wash well after handling and before eating, drinking and smoking. Wash contaminated clothing with soap and hot water before reuse. Do not wear contaminated shoes. Do not contaminate irrigation water, lakes, streams or ponds by cleaning of equipment or disposal of wastes.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take the container or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Acute poisoning resulting from ingestion of excessive amounts or oral copper salts, most frequently copper sulfate, may cause death. Symptoms are vomiting, hematemesis, hypotension, melena, coma, and jaundice. Autopsy findings have revealed centrilobular hepatic necrosis. Fume exposure may occur. Health effects consist of irritation of upper respiratory tract, metallic or sweet taste, and nausea. Inhalation can result in congestion of nasal mucous membranes, sometimes of pharynx, and on occasion, ulceration with perforation of nasal septum. Inhalation of copper dust has caused, in animals, hemolysis of red blood cells, deposition of hemofuscin in liver and pancreas and injury to lungs.

STORAGE: Keep in original container during storage. Store product in a cool, dry, well-ventilated place away from seed, feed, fertilizer, or other pesticides. Keep away from fire or open flame, or other heat source.

2022-0656

2022-05-24

SPECIAL INSTRUCTIONS: Powder will oxidize. Do not leave open. Store powder inside in dry area, -20 to 40°C (0 to 100°F).

DECONTAMINATION AND DISPOSAL: Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and information on cleanup of spills, contact the provincial regulatory agency and the manufacturer.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the **PEST CONTROL PRODUCTS ACT** to use this product in a way that is inconsistent with the directions on the label.