

NALCON 7647

SLIMICIDE MICROBIOLOGICAL CONTROL CHEMICAL

Solution

COMMERCIAL WARNING

CORROSIVE

WARNING - CORROSIVE TO EYES & SKIN
POTENTIAL SKIN SENSITIZER

READ THE LABEL BEFORE USING

REGISTRATION NO.: 22946
PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

5-Chloro-2-Methyl-4-Isothiazolin-3-one..... 1.1%
2-Methyl-4-Isothiazolin-3-one..... 0.4%

Net Contents:

Nalco Canada ULC
1055 Truman St. P.O. Box 5002
Burlington, Ontario
L7R 3Y9

TEL: (905) 632-8791

PHONE IN CASE OF EMERGENCY:
CANADA 1-800-463-3216 (24 HOURS)
CANUTEC: 1-613-996-6666 (24 HOURS)

DIRECTIONS FOR USE:

For control of micro-organisms in recirculating cooling water systems, use 100 to 150 mg/L (ppm) of Nalcon 7647 slug fed once or twice per week. Repeat as needed to obtain control. Once control has been established, slug feed once per week 35 to 100 mg/L (ppm) of Nalcon 7647 based on system's volume to maintain control. For slime control in pulp and paperboard use 0.2 to 0.7 kg (220 mL to 720 mL) Nalcon 7647 per 1000 kg of dry furnish. Do not mix as a concentrated product with strong oxidizing agents. Do not use in potable water supply.

PRECAUTIONS:

WARNING. KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CORROSIVE TO EYES AND CAUSES SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. POTENTIAL SKIN SENSITIZER. MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing vapours and spray mists. Wash skin thoroughly with soap and water after handling. Avoid using chemical in confined space. Wear long pants, a long sleeve shirt, chemical-resistant gloves, a full face NIOSH -approved respirator and a chemical -resistant apron during mixing/loading, clean up, and repair. Remove clothing that has been in contact with this

product and wash thoroughly before reuse. Avoid contamination of food. For spray application, wear chemical-resistant gloves, a full face NIOSH-approved respirator, chemical-resistant coveralls and rubber boots during mixing/loading, application, clean up and repair. Products containing this chemical are not to be used in food packaging materials.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE:

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

FIRST AID:

If on skin or clothing take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes hold eye open and rinse slowly and gently with water for 15 –20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Undiluted product could be fatal if swallowed. Give patient repeated glasses of water and contact physician or poison control centre. NOTE TO PHYSICIAN. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

DISPOSAL:

Porta-Feed System: 1. Close valve. 2. Arrange for return of Porta-Feed. For Other Containers: 1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Lot No.:

TDG Shipping Name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (contains ISOTHIAZOLINONE MICROBIOCIDES), Class 8, UN3265, PGII

1/04/11

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.