

Brodifacoum Technical

SOLID

RODENTICIDE

FOR MANUFACTURING AND FORMULATING USE ONLY

GUARANTEE:

Brodifacoum..... 98%

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN AND
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL**

**SKIN AND EYE IRRITANT**

REGISTRATION NO. **22679**
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **1 kg**

Syngenta Canada, Inc.
140 Research Lane, Research Park
Guelph, Ontario
N1G 4Z3
(519) 836-5665

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre **IMMEDIATELY**. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF INGESTED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

Antidote - Vitamin K₁ - Phytomenadione BP

Adult Dosage - 40 mg/day in divided doses

Child Dosage - 20 mg/day in divided doses

Antidote must be administered under medical supervision by injection (intramuscular or subcutaneous). It is advisable to monitor prothrombin time and haemoglobin levels. Patients should be kept under medical supervision until prothrombin times return to and remain normal and/or bleeding has ceased.

Supportive Measures: Blood should be grouped and cross matched as soon as possible. Transfusions of compatible blood may be necessary if severe or persistent bleeding occurs.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

Fatal if swallowed, absorbed through skin or inhaled. Do not inhale/breathe dust. Causes eye irritation. Do not get into eyes. May irritate skin. Do not get on skin or clothing. Keep away from

humans, domestic animals, and pets. Wash hands after handling. This product is toxic to wildlife. Keep out of lakes, streams or ponds. Do not store near food or feed. Any suspicion of poisoning should be reported to a physician immediately for treatment.

STORAGE

Store in a cool, dry area suitable for pesticide storage. Do not store near feed, food or within reach of children or pets.

DISPOSAL

Do not re-use empty container. Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING
CALL 1-800-327-8633 (FASTMED)***

DIRECTIONS FOR USE

To be used only in the manufacture of a rodenticide which is registered under the *Pest Control Products Act*.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.