

2023-1795
2023-06-26

SPECTRUS NX1111
MICROBICIDE
INDUSTRIAL

DANGER
CORROSIVE POISON
POTENTIAL SKIN SENSITIZER

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT :

5-Chloro-2-methyl-4-isothiazolin-3-one.....1.31%
2-Methyl-4-isothiazolin-3-one.....0.44%
Glutaraldehyde.....7.50%

REGISTRATION NUMBER 22952
PEST CONTROL PRODUCTS ACT
NET CONTENTS: 20 – 1000 L

Veolia Water Technologies & Solutions Canada GP
3239 Dundas Street West
Oakville, ON L6M 4B2

EMERGENCY TELEPHONE NUMBERS
TRANSPORTATION EMERGENCIES ONLY
Canada/Canutec: 1-613-996-6666

ALL OTHER EMERGENCIES
Veolia Water Technologies & Solutions Canada GP 1-215-942-3621

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from Veolia Water Technologies & Solutions Canada GP.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

PRECAUTIONS : KEEP OUT OF REACH OF CHILDREN. POTENTIAL SKIN SENSITIZER. MAY BE HARMFUL IF INHALED. MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing vapors and spray mists. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash separately from other laundry before reuse.

Do not use in potable water. Do not contaminate water, food or feed by storage or disposal. Wear long pants, a long-sleeved shirt, chemical-resistant gloves, a full-face NIOSH-approved respirator and a chemical-resistant apron during mixing/loading, clean up and repair.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

2023-1795
2023-06-26

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Take container, label, product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARDS This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE: KEEP FROM FREEZING.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE

INDUSTRIAL COOLING TOWERS, CONDENSERS, AIR WASHERS, HEAT EXCHANGERS, BREWERY PASTEURIZERS

This product should be slug fed at regular intervals of 2 to 3 times per week using a peristaltic pump. For heavily fouled systems, dosages will vary between 2 to 5 kg per 10,000 L of system volume. When control is achieved, dosage levels may be reduced to 0.5 to 1.5 kg per 10,000L of system volume. This product is only for use in cooling towers equipped with mist eliminators. Hard piped feed system is recommended to minimize risk of worker exposure.