SODIUM HYPOCHLORITE 10.8%

(12.0% TRADE) CHLORINATING LIQUID

Liquid sodium hypochlorite intended

FOR USE IN MANUFACTURING, FORMULATING ORREPACKAGING.

READ THE LABEL BEFORE USING.

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

205 LITRES



WARNING

CORROSIVE

ACTIVE INGREDIENT: available chlorine ... 10.9% (present as sodium hypochlorite)

REGISTRATION NO. 23344 PEST CONTROL PRODUCTS ACT

> Brenntag Canada Inc. 5025 Creekbank Road Building 'A', Suite 201 Mississauga, Ontario L4W 0B6 Canada 416-259-8231

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE: To be used only in the manufacture, formulation or repackaging of products which are registered under the Pest Control Products Act.

PRECAUTIONS:

- 1. Liberates poisonous gases (chlorine) on contact with acids. Do not store with cleaners or acids. Do not mix with other chemicals.
- 2.. PREVENT ACCESS BY UNAUTHORIZED PERSONNEL
- 3. Avoid contact with skin and eyes.
- 4. Harmful if swallowed.
- 5. Keep container closed and store in a cool location.

TOXICOLOGICAL INFORMATION: Skin: Irritates with burning sensation on skin and mucous membranes. **Eye:** Irritating to the eye. **Inhalation (of chlorine gas):** Irritation to upper respiratory tract. Possible glottic oedema (swelling in the throat), asphyxia, pulmonary oedema. Pneumonitis has been reported. **Ingestion:** Possible burns on lips, tongue, and pharynx and oesophagus. Burns of the oesophagus may be present in the absence of oral burns. Dysphagia may occur. Vomiting- may be prompt.

FIRST AID: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice. **If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL: Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean- up of spills, contact the manufacturer or the provincial regulatory agency.