2017-0819 2017-07-26

Principal Panel

SPACHEM

CANADIAN SPA CO. SPA TABS

STABILIZED CHLORINATING TABLETS CONTROLS BACTERIA & ALGAE IN SPA WATERS

REG. NO. 23395.11 P.C.P. ACT

PRECAUTIONARY SYMBOLS: CAUTION POISON (Triangle+Skull) CORROSIVE (Triangle+Hand)

KEEP OUT OF REACH OF CHILDREN. READ THE LABEL BEFORE USING.

NET CONTENTS: 2 kg Tablet Weight: 20 g

Canadian Spa Company Canada House, Salford Road, Salfords, Redhill, Surrey RH1 5DY 1283 Cornwall Rd, Oakville, Ontario, Canada L6J 7T5 1-877-347-7727 Secondary Panel

Spa-tabs

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Strong oxidizing agent. May cause fire or explosion if contaminated. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Avoid contact with skin and eyes. It is recommended to wear rubber gloves when handling this product. Harmful if swallowed. Keep container closed and store in a cool, dry location.

DISPOSAL:

Rinse container thoroughly before discarding. Do not reuse empty container. Offer for recycling if available, or dispose in accordance with local and provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill, and for clean-up of spills.

FIRST AID: IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF INHALED, Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-tomouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when

seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DIRECTIONS FOR USE:

WARNING: Direct tablet contact may cause bleaching of spa surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other spa sanitizers to avoid the probability of an explosion.

Maintain recommended daily levels as determined by testing kit.

Free available chlorine: 3.0-5.0 ppm Total Alkalinity: 100-120 ppm

pH: 7.2-7.8 Calcium Hardness: 150-200 ppm

For chlorination, spa tabs should be added to an automatic chlorinator, floating chlorine feeder or spa skimmer to maintain the proper chlorine residual.

Superchlorinate a freshly filled spa by adding 20 g of spa tabs per 1000 L of spa water. Maintain water circulation at least 1 hour before using. Repeat superchlorination procedure after each use period. Maintain proper chlorine residual by adding 10 g of spa tabsper 1000L of spa water, daily or as needed. Persistent foam formation, turbid or malodorous water are indicators of inadequate sanitizer levels. To correct such conditions, superchlorinate spa water by adding 30 g of SPA-TABS per 1000 L of spa water. Maintain circulation at least 1 hour and wait 4 hours before using.

spa tabs contain stabilizer (cyanuric acid) which will accumulate in spa water. Keep stabilizer within 30-100 ppm range by dilution with fresh water. For proper sanitation, spa must be completely drained periodically. The number of days between COMPLETE SPA DRAINAGE is equal to the volume of spa water in litres, divided by 10 times the maximum number of daily spa users. Refill spa with water and repeat DIRECTIONS FOR USE. Maximum spa water usage temperature is 40°C. Duration in spa water at 40°C should not exceed 15 minutes.