## WILSON® LIQUID LIME SULPHUR(1) INSECTICIDE/FUNGICIDE

## Solution

For fruits, roses and other ornamental plants. For both dormant and summer season use.

## **DOMESTIC**

REG. NO. 23782 P.C.P. ACT

GUARANTEE: Calcium polysulphide 23%

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

DANGER - CORROSIVE TO EYES

500 mL (1 L, 2 L)

Sure-Gro IP Inc., P.O. Box 21001, Brantford, ON N3R 7W9 1-800-268-2806

Peel back for instructions PRESS TO RESEAL **DIRECTIONS FOR USE:** SHAKE WELL BEFORE USING: Lime Sulphur should mainly be used as a DORMANT SPRAY to clean up overwintering insects and disease infections. During the summer, further applications with Lime Sulphur or Wilson<sup>®</sup>'s Insecticides or Fungicides are necessary to keep plants free from pests. Lime Sulphur may only be mixed with Wilson<sup>®</sup> Dormant Oil, not with any other products. Use only with a handheld pump sprayer or backpack sprayer or as spot treatment. Do not apply during or shortly before temperature reaches 27° C or higher. Shake spray solution while spraying. Lime Sulphur stains painted wood, brick and stone. Prevent from freezing. DO NOT apply by air.

FRUIT TREES: As a Dormant Spray, apply before buds break, to control Blister and Rust Mites, Scale Insects, Pear Scale, Red Mite Eggs, Aphid Eggs, Twig Borer, Plum Black Knot and Peach Leaf Curl. Use 100 mL per litre of water. APPLE AND PEAR: During the summer, use 15 mL (1 tablespoonful) per litre of water just before and again after blossoming to control powdery mildew, apple and pear scab; repeat 10 and 20 days after end of blossoming. Do not apply on plum in leaf and never on apricot. The apple variety "Delicious" may be injured by summer spraying with Lime Sulphur. RASPBERRY, BLACKBERRY AND LOGANBERRY: To control rust, anthracnose, cane and spur blight, apply 100 mL in 1 litre of water when buds break. CURRANT, GOOSEBERRY: To control mildew, rust, and scale insects, apply 100 mL in 1 litre of water just before buds break. Apply 60 mL (4 tablespoonfuls) in 3 litres of water just before blossoms open and repeat weekly after bloom until fruit colours. May be used up to 1 day before harvest. **ROSES:** To control Rose scale, canker and black spot make dormant application before buds break, using 100 mL in 1 litre of water. For black spot and mildew during summer use 5 mL (1 teaspoonful) in 3 litres of water every one to two weeks. TREES AND SHRUBS: As a Dormant Spray to control scale insects on bark and needles, also Maple gall mite, use 100 mL in 1 litre of water; for Spruce gall aphid use 30 mL (2 tablespoonfuls) in 1 litre of water. **COMBINATION DORMANT SPRAY:** Fruit trees, roses and deciduous ornamentals. For overwintering insects, eggs, oystershell scale, San Jose scale, rose scale, black scale as well as overwintering fungus disease; mix 120 mL (8 tablespoonfuls) Wilson® Lime Sulphur and 60 mL (4 tablespoonfuls) Wilson® Dormant Oil in 3 litres of water.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. CORROSIVE to the eye. DO NOT get in eyes. Avoid contact with skin. Wear a long-sleeved shirt, long pants, chemical resistant (rubber) gloves when handling. Wash after use. Avoid staining clothing and skin.

FIRST AID: If contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration No. with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically.

**ENVIRONMENTAL HAZARDS:** TOXIC to aquatic organisms.

**DISPOSAL:** Dispose of empty container with household garbage. Do not reuse empty container.

For additional information or in case of emergency spills or fire, call toll-free 1-800-268-2806. www.wilsonproducts.ca

 $<sup>^{\</sup>circledR}$  Sure-Gro Holdings Inc. / Lic. Sure-Gro

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.