

2008-0231
23-DEC-2008

**WILSON®
VET TEK
BACKRUBBER CONCENTRATE**

An Oil-Based Malathion Concentrate

SOLUTION

AGRICULTURAL

GUARANTEE: Malathion 50.0%

REGISTRATION NO. 23421 PEST CONTROL PRODUCTS ACT

CAUTION



POISON

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 4 L

**Agrium Advanced Technologies RP Inc.
10 Craig St.
Brantford, ON
Canada N3R 7J1
519-757-0077**

VET TEK Backrubber provides quick knockdown and long-lasting residual control of flies and lice on beef and dairy cattle.

DIRECTIONS FOR USE : For dairy and beef cattle (including lactating animals), provide a 2% Malathion solution (1 litre malathion concentrate in 25 litres diesel or fuel oil) in backrubbers. Backrubbers should be freely accessible and placed in the areas frequently used by the animals. One device should be continuously available for each 35-45 head of cattle. **IMPORTANT:** Do not apply to animals under one month of age. Do not apply to livestock 30 days before slaughter.

PRECAUTIONS : KEEP OUT OF REACH OF CHILDREN. Avoid inhaling vapours. Avoid contact with skin, eyes, and clothing. Avoid contamination of food or feed. Do not contaminate drinking troughs or utensils. Wash after handling or using. Avoid contamination of ponds, lakes, streams, and other bodies of water which contain fish or which may be used for irrigation or domestic purposes. Care should be taken in disposing of empty containers. Do not use in milk rooms.

FIRST AID : ~~Product contains petroleum distillate.~~ If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION : Malathion may cause cholinesterase inhibition. Atropine is antidotal.

DISPOSAL : Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER : This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Wilson® Registered Trademark of Spectrum Brands Canada, Inc., used under license.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.