

2011-4339
2012-02-14

CO-OP®

AERO-TACK II
Flying Insect Spray

Convenient Aerosol Insecticide for
the Control of Stable Flies, House
Flies, Horn Flies, Mosquitoes and
Gnats on Dairy and Beef Cattle.

AGRICULTURAL

GUARANTEE:
Pyrethrins 0.50% Piperonyl Butoxide 5.00%

READ THE LABEL BEFORE USING

REGISTRATION NO. 22666

PEST CONTROL PRODUCTS ACT

DANGER

EXTREMELY FLAMMABLE
EXPLOSIVE

Net Contents
600 g

Interprovincial Cooperatives Limited, P.O. Box 1050,
Saskatoon, Saskatchewan S7K 3M9
1-204-233-346106

Winnipeg

Mississauga

Montreal

Moncton

RC 4058-090

KILLS: stable flies, house flies, horn flies, mosquitoes and gnats on beef and dairy cattle or in milking parlours, milk houses, dairy barns, beef barns.

DIRECTIONS FOR USE: SPACE SPRAY – Kills flying insects in milking parlours, milking rooms, milk houses, dairy barns, and beef barns. Direct spray upward to all parts of the room, especially windows and other light sources. Apply at a rate of 6 to 10 seconds for 30m³. Insects must be contacted to be killed. Remove all animals from treatment area before using as a space spray. For best results, close all doors and windows during treatment and keep room closed for fifteen minutes before ventilating. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Spray only when temperature is below 32°C.

LIVESTOCK SPRAY: To treat beef and dairy cattle (lactating and non-lactating) against houseflies, stable flies and horn flies. Spray animals once daily with a fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of the hair only; do not wet the hair or skin. Take care not to spray in animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking. Wash udders before milking. Do not use more often than once a day.

MILK HOUSES: When used in milk houses, use only when milk house is not in operation. Cover or remove all milk and milking implements before spraying. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Cover milk and milking utensils to prevent contamination from spray and dead insects. (Any treated surfaces that may contact food or feed products should be washed thoroughly with potable water after spraying and before re-use.) Do not contaminate feed or water troughs. Do not spray over milk or milking equipment. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. **CONTENTS UNDER PRESSURE.** Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50 degrees C. Do not spray into or near any open flame or spark.

FIRST AID: If in eyes, Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.