

2012-0207  
2012-01-12

FRONT PANEL

SPRAY-PAK

Wasp & HORNET Killer II

PRESSURIZED CONTACT AND  
RESIDUAL Spray

DOMESTIC

READ THE LABEL BEFORE USING  
KEEP OUT OF THE REACH OF CHILDREN

GUARANTEE:	Pyrethrins	0.050%	
	Piperonyl Butoxide	0.100%	
	N Octyl Bicycloheptene Dicarboximide		0.166%
	Propoxur	0.500%	

REG. NO.: 23299 P.C.P. ACT  
CONTAINER MAY EXPLODE IF HEATED

DANGER



EXTREMELY  
FLAMMABLE

EXPLOSIVE

NET CONTENTS: 125-575 g

K-G Spray-Pak Inc. 8001 Keele Street, Vaughan, Ontario L4K 1Y8

905-669-9855

**DIRECTIONS FOR USE:** For the control of wasps, bees, hornets, and yellow jackets. Remove protective cap and point the nozzle in the direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2-2.5 metres (6-8 feet). To prevent insects from falling on skin or clothes, do not stand directly under nest. Allow sufficient time for the insects to become dead or moribund. Application to wasps' nests should be made in late evening or early morning (if possible) when insects are at rest.

**LIMITATIONS:** Do NOT use inside homes, on humans or animals. Do NOT use as a space spray

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Keep children and pets away from treated area until surfaces are dry and insects are dead. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50°C as container may burst. Do not puncture or incinerate container. **DO NOT USE IN THE PRESENCE OF AN OPEN FLAME OR SPARK.**

**FIRST AID:**

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor IMMEDIATELY for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**

Propoxur is a carbamate cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

**DISPOSAL:**

When container is empty, press button to release all pressure, then dispose in household garbage. Do not puncture or incinerate.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.