

This product has been cancelled effective as of 02 March 2023. Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

2019-6755  
2020-06-18

Label, front panel: DISVAP V

Net Contents: XXX  
Code : YYY

COMMERCIAL

# DISVAP V

BARN INSECTICIDE WITH QUICK KILL ACTION AND RESIDUAL EFFECT  
WATER BASE MICRO-EMULSION

WITH CITRONELLA FRAGRANCE

For indoor use only to control stable flies, house flies and mosquitoes in hog, dairy and beef barns, milking parlours, milk rooms and poultry houses.

READY TO USE

SHAKE WELL BEFORE USING

ACTIVE INGREDIENT: (W/V)

Permethrins ..... 0.1%  
Pyrethrins..... 0.1%  
Piperonyl Butoxide..... 1.0%  
in a water base

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

REGISTRATION NUMBER 23029 PEST CONTROL PRODUCTS ACT

KEEP FROM FREEZING

VETOQUINOL N.-A. INC.  
2000, ch. Georges, Lavaltrie, QC, Canada J5T 3S5  
1-800-363-1700

XXX : 4 L, 10 L, 20 L  
Code : 02302041 (4 L), 02302042 (10 L), 02302043 (20 L)

2019-6755  
2020-06-18

Label, lateral panel (English version): DISVAP V

**DIRECTIONS FOR USE: SHAKE WELL BEFORE USING.** DISVAP V provides a quick kill action and a residual insecticidal activity against stable flies, house flies and mosquitoes inside hog, dairy and beef barns, milking parlours, milk rooms and poultry houses.

Restrictions:

- DO NOT apply outdoors.
- DO NOT apply to people, pets, livestock or sources of electricity.
- DO NOT apply when people, pets or livestock are present.
- DO NOT allow people, pets or livestock to enter treated areas until sprays have dried.
- DO NOT allow spray to drip or allow drift onto non-target surfaces.
- DO NOT apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.
- Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used.
- Use a coarse droplet size and low pressure spray not exceeding 345 kPa (50 psi) to avoid splashing onto non-target surfaces.
- DO NOT apply as a space spray.
- DO NOT contaminate food/feed. DO NOT spray food/feed or food/feed packages. DO NOT apply when milking parlours, milk rooms and dairies are in operation. Remove or cover all food/feed (e.g., milk). Remove or cover all surfaces of milking equipment or thoroughly wash them following treatment. Any food/feed (e.g., milk) accidentally contaminated with spray solution must be discarded.

**Indoor Broadcast Surface Spray in Livestock Housing Only:** To control house flies, stable flies and mosquitoes in hog, dairy and beef barns, milking parlours, milk rooms, dairies and poultry houses, apply at a rate of 4 L per 100 m<sup>2</sup> of building surface. Spray all inside building surfaces of the barn including walls, ceilings and beams. DO NOT reapply this product for at least 14 days. Treatment must only be repeated after 14 days if pest problem persists or reoccurs. DO NOT exceed 12 applications per year. Livestock returned to treated areas cannot be slaughtered for a minimum of 1 day after the treatment was applied to the livestock facility. The use of any residual fly spray should be supplemented with proper sanitation including elimination of fly breeding sites.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Not for use on humans. Harmful if swallowed. Avoid contact with skin, eyes and clothing, and avoid inhalation of spray. Keep container closed. Wash after use. Do not store with feed or food stuffs, milk or milk-handling equipment. Do not use in areas where beekeeping equipment or supplies are stored.

For mechanically-pressurized handheld sprayer for mists, aerosols, and fogs applications, or entering treated areas before venting, wear chemical-resistant coveralls with a chemical-resistant hood over long pants, and long-sleeved shirt, chemical-resistant gloves, socks, chemical-resistant footwear, and a respirator with a NIOSH-approved organic-vapour-removing cartridge with a prefilter approved for pesticides OR a NIOSH-approved canister approved for pesticides during mixing, loading, application, clean-up and repair.

For mechanically pressurized handgun applications, wear cotton coveralls over long-sleeved shirt, long pants, chemical-resistant gloves, socks, and shoes during mixing, loading, application, clean-up and repair.

For other application equipment wear long pants, long-sleeved shirt, chemical-resistant gloves, shoes, and socks during mixing, loading, application, clean-up and repair, unless otherwise specified.

**ENVIRONMENTAL PRECAUTIONS:** Toxic to aquatic organism. Do not contaminate any body of water. Toxic to birds. Toxic to bees. Toxic to certain beneficial arthropods.

**STORAGE:** Do not expose to temperature below 0°C.

2019-6755

2020-06-18

**DISPOSAL:** 1. Triple- or pressure-rinse empty container. Add the rinsings to the spray mixture in the tank. 2. Follow provincial instruction for any required cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**FIRST AID:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.