

**NALCO 7338
WATER TREATMENT MICROBICIDE**

SOLUTION
COMMERCIAL

DANGER

CORROSIVE

READ THE LABEL BEFORE USING

GUARANTEE: Glutaraldehyde 45.0%

REGISTRATION NO. 21323
PEST CONTROL PRODUCTS ACT

NET CONTENTS:

Nalco Canada ULC
1055 Truman St. P.O. Box 5002
Burlington, Ontario
L7R 3Y9

TEL: (905) 632-8791

IN CASE OF EMERGENCY, CALL (CANADA) 1-800-463-3216 (24 HOURS)

CANUTEC: 1-613-996-6666 (24 HOURS)

DIRECTION FOR USE:

DO NOT open pour more than 20 L of concentrate per day. Use an automatic addition system if using more than 20 L of concentrate per day. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

Air washers and recirculating cooling water systems.

Nalco 7338 Water Treatment Microbicide may be used only in industrial air washers and air washer systems which have mist-eliminating components. Nalco 7338 Water Treatment Microbicide should be added at the application rate described below to a water treatment system at a convenient point of uniform mixing such as the basin area. Addition may be made intermittently (slug dose) or continuously. Badly fouled systems can be shock treated with Nalco 7338 Water Treatment Microbicide. Under these conditions, blowdown should be discontinued for up to 24 hours. Do not use in potable water systems. For food plant and other industrial uses.

Intermittent (slug dose)

Initial Dose: When the system is noticeably fouled, apply 600-1200 mL of Nalco 7338 Water Treatment Microbicide per 5000 L of water in the system. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 250-600 mL of Nalco 7338 Water Treatment Microbicide per 5000 L of water to the system weekly, or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

Continuous Feed Method

Initial Dose: When the system is noticeably fouled, apply 600-1200 mL of Nalco 7338 Water Treatment Microbicide per 5000 L of water in the system.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 250-600 mL of Nalco 7338 Water Treatment Microbicide per 5000 L of water in the system per day. Badly fouled systems must be cleaned before treatment is begun.

Pasteurizer Cooling Water Systems

AVOID CONTAMINATION OF FOOD IN THE APPLICATION OF PRODUCT. Nalco 7338 Water Treatment Microbicide should be used at the same application rates and in the same manner as described above. It should be added to the closed recirculating system at a convenient point of uniform mixing such as a basin area, sump area or other reservoir or collecting area from which the treated water will be circulated uniformly throughout the pasteurizer cooling system.

Beet Sugar Processing Mills

Nalco 7338 Water Treatment Microbicide may be used in sugar beet processing under the following conditions;

1. the amount of product used is not in excess of that required for the intended technical effect (maximum 550 ppm product per raw beets by weight as indicated), and
2. no residual product in finished product.

PRECAUTIONS:

DANGER. KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if inhaled. Harmful if absorbed through skin. Causes asthmatic signs and symptoms in hyper-reactive individuals. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Avoid breathing vapour. Do not swallow. Wear coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, socks, chemical-resistant footwear, and eye protection during mixing, loading, application, clean-up and repair. Wash thoroughly with soap and water after handling. Use only in well ventilated area. Remove contaminated clothing and shoes and wash them before reuse.

FIRST AID:

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

DISPOSAL:

For Porta-Feed System: 1. Close valve. 2. Arrange for return of Porta-Feed

For Other Containers: 1. Triple- or pressure- rinse the empty container. Add the rinsings to the treatment site. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on the disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the Manufacturer and the Provincial Regulatory Agency in case of spill and for clean-up of spills.

For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS.

STORAGE AND HANDLING:

Nalco 7338 Water Treatment Microbicide solutions are corrosive to many commonly used materials such as steel, galvanized

iron, aluminum, tin and zinc. These solutions can be stored and handled in baked phenolic-lined steel, polyethylene steel or reinforced epoxy-plastic equipment. This product freezes at about -21°C. Therefore, unless the storage tank is inside or underground, heating or insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month) temperatures of up to 37.8 °C can be tolerated but the preferred maximum storage temperature is about 26.7 °C.

A stainless steel centrifugal pump is suggested for transfer service.

To prevent contamination store this product away from food or feed.

ENVIRONMENTAL HAZARDS:

Toxic to aquatic organisms.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.