

2019-6476
2020-06-04

Principal Display Panel - English

**Virbac
Ecto-soothePlus**

EMOLLIENT OATMEAL PESTICIDAL SHAMPOO
To kill fleas and American and brown dog ticks on dogs and cats.

FOR USE ONLY ON DOGS AND CATS DOMESTIC

ACTIVE INGREDIENT:

Pyrethrin 0.15%
Piperonyl butoxide 1.50%
n-octyl bicycloheptene dicarboximide ...0.50%

Contains phosphoric acid at 0.002%, propylene glycol at 0.56%, diazolidinyl urea at 0.3%, methyl p-hydroxybenzoate at 0.148%, propyl p-hydroxybenzoate at 0.036%, isobutyl paraben at 0.003%, ethyl p-hydroxybenzoate at 0.003%, butyl paraben at 0.003% and 1,3-dimethylol-5,5-dimethylhydantoin at 0.050% as preservatives.

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

Reg. No. 23593
P.C.P. Act

NET CONTENTS 237 mL

Neogen Corporation
620 Leshner Place
Lansing, MI 48912
Medical: 1-800-498-5743
?: 1-800-621-8829

2019-6476
2020-06-04

Secondary Display Panel – English

Ecto-Soothe Plus Pesticidal Shampoo for Dogs & Cats, using Spherulites Microcapsules, represents a breakthrough in skin care technology.

SPHERULITES[®] Microbapsules an exclusive and encapsulation system containing oatmeal and glycerin was developed by Virbac to reinforce the grooming quality and the cosmetic properties of the formulations.

DIRECTIONS FOR USE: Do not administer by mouth. Wet animal thoroughly with warm water. Apply product to the back of the animal and massage well down to the skin to obtain a good lathering of the entire body. Pay special attention to neck and hindquarters. Allow lather to remain for 10 minutes. Do not treat eyes, face or genitals of pet. Rinse with warm water. For maximum results, repeat process as directed above. Dry animal thoroughly and comb. Do not use this shampoo more often than once every 2 weeks. Do not use on animals under 12 weeks of age. Consult a veterinarian before use on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Treatment must only be repeated if pest problem reoccurs. Do NOT use solely as a shampoo when there is no pest problem.

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by pet. Vacuum floors, carpet, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problem persists, an insecticidal premise treatment may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatments.

PRECAUTIONS:

Use ONLY in well-ventilated area, preferably outdoors. **DO NOT** allow product to contact non-target surfaces.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or absorbed through skin. May irritate eyes. Avoid contact with mouth, eyes, skin and clothing. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with treated animals until dry. Avoid product contact with places where food is prepared or stored.

PETS: Avoid contact with pet's mouth, eyes, face and genitals. DO NOT allow pet to lick the suds from the coat or to ingest any of the shampoo.

FIRST AID:

HUMANS: **If swallowed**, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If on skin or clothing**, take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

2019-6476
2020-06-04

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

PETS: Sensitivities may occur after using ANY pesticide for companion animals. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

TOXICOLOGICAL INFORMATION: Treat symptomatically. **STORAGE:** Store in a cool, dry area.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container with household garbage.