

2023-1990
2024-02-01

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03-02-2025 in accordance with the phase out period set out in RVD2023-06. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

EVERCIDE® Intermediate 2507

RECOMMENDED FOR COMMERCIAL AND INDUSTRIAL USE

EVERCIDE Intermediate 2507 Insecticide to kill listed insect pests in the following locations:

- A. Inside Listed Buildings and Non-passenger areas of Transportation Vehicles.
- B. Outdoors on the Exterior Surfaces and Perimeter of Buildings and Porches, Patios and Decks; and
- C. Outdoors on Lawns to Control Fleas.

COMMERCIAL

REGISTRATION NO. 23020

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

* Permethrin	10.00%
Pyrethrins.....	5.00%
** N-Octyl bicycloheptene dicarboximide.....	9.57%

* Cis-trans isomers ratio: Max. 55% (+ or -) cis and Min. 45% (+ or -) trans

** MGK® 264, Insecticide Synergist

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN



CAUTION POISON

NET CONTENTS _____

Manufactured by:



7325 Aspen Lane North
Minneapolis, MN 55428
U.S.A.
(763) 544-0341

EPA Est. No. 1021-MN-2

VALENT CANADA INC., 201-230 HANLON CREEK BLVD., GUELPH, ONTARIO N1C 0A1, (519) 767-9262

DIRECTIONS FOR USE

Locations of Use:

EVERCIDE Intermediate 2507 may be used indoors, outdoors on the exterior surfaces and perimeters of buildings and on porches, patios and decks to kill listed pests in non-food areas of: Homes, Garages, Schools, Office Buildings, Apartment Buildings, Theatres, Hotels, Motels, Kennels, Truck Trailers, Railroad Cars, and Warehouses.

Also for use outdoors on lawns to kill fleas.

Restrictions:

- As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.
- DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- DO NOT tank mix this product with any other product.
- DO NOT apply undiluted.
- Dilute EVERCIDE® Intermediate 2507 with clean water only.
- DO NOT apply to people, pets or sources of electricity.
- DO NOT apply when people or pets are present. DO NOT apply to surfaces that may come into contact with food/feed.
- DO NOT allow people or pets to enter treated areas until sprays have dried.
- DO NOT use, pour, spill, or store near heat or open flame.

2023-1990
2024-02-01

- DO NOT apply to furniture, mattresses, linens, toys or clothing.
- DO NOT allow spray to drip or allow drift onto non-target surfaces.
- DO NOT apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.
- Ventilate treated indoor areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used. DO NOT apply EVERCIDE® Intermediate 2507 using any type of fogging or aerosol equipment (i.e. equipment which delivers a spray with a volume median diameter (VMD) of 50 µm or less).
- For structural applications, use a coarse droplet size and low-pressure spray not exceeding 345 kPa (50 psi) to avoid splashing onto non-target surfaces unless otherwise stated on this label.
- Apply only when the potential for drift beyond the area to be treated is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment and sprayer settings.
- DO NOT apply as a space spray.
- DO NOT store near feed or foodstuffs.
- For use only in non-food/non-feed areas. DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment, and utensils or thoroughly wash following treatment.” Any food/feed accidentally contaminated with spray solution must be discarded. Non-food/feed areas includes garbage rooms, lavatories, floor drains to sewers, entries and vestibules, offices, locker rooms, machine rooms, garages, mop closets, and storage.

To protect pollinators, follow the instructions regarding bees in the ENVIRONMENTAL PRECAUTIONS section.

MIX WELL IN DRUM BEFORE USE

Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs and cats should be treated with a registered flea control product in conjunction with this application.

Residential areas are defined as any use site where the general public, including children, could be exposed during or after application. For structural uses, in residential sites, this includes homes, schools, restaurants, public buildings or any other areas where the general public including children may potentially be exposed. Non-residential areas include, but are not limited to: industrial/commercial indoor sites (for example, laboratories, warehouses, food granaries); modes of transport in areas where passengers are not present (for example, buses, railcars, trailers); and animal housing (for example, livestock and poultry housing, and pet kennels).

A. Instructions for Use Inside Listed Buildings and Non-passenger areas of Transportation Vehicles;

How to Apply Inside Listed Buildings and Non-passenger areas of Transportation Vehicles:

APPLY AS AN INDOOR PERIMETER, SPOT, CRACK AND CREVICE OR VOID TREATMENT. BROADCAST TREATMENTS ARE PERMITTED IN NON-RESIDENTIAL BUILDINGS ONLY. DO NOT APPLY AS A SPACE SPRAY.

Spot Treatment: Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room.

Crack and Crevice: Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

Indoor Perimeter: Indoor perimeter application is less than 0.1 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows.

Void: Void application applies to inaccessible, enclosed empty spaces of a structure. For example, hollow walls and suspended ceilings. Care should be taken to avoid the pesticide exiting the void. Any residue deposits on nontarget surfaces must be removed by the applicator.

Indoor Broadcast (Permitted only in non-residential structures): Indoor broadcast application is to broad expanses of indoor structural surfaces such as walls, floors, ceilings and indoor foundation walls/crawlspace. DO NOT apply indoors in residential areas as a broadcast application. Residential areas are defined as any use site where the general public, including children, could be exposed during or after application. For structural uses, in residential sites, this includes homes, schools, restaurants, public buildings, modes of transport in areas where passengers are present, or any other areas where the general public including children may potentially be exposed. Indoor broadcast application in non-

2023-1990
2024-02-01

residential buildings is to broad expanses of indoor structural surfaces, such as walls, floors, ceilings and indoor foundation walls/crawlspace.

Additional Restrictions Relevant to Inside Listed Buildings and Non-passenger areas of Transportation Vehicles:

- Prior to treatment, aquariums and fishbowls should be covered and birds, such as canaries, removed from the area
- Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used.
- Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

Location of Use	Pest	Application Method (See How to Apply for Further Information)	Concentration	Maximum Rate of Diluted Product	Notes for specific pests:
INDOORS Homes Non-food areas of: Garages, Schools, Office Buildings, Apartment Buildings, Theatres, Hotels, Motels, Kennels, and Warehouses Non-passenger areas of: Truck Trailers and Railroad Cars	Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Silverfish, Sowbugs and Spiders	Indoor Perimeter Spot Crack and Crevice Void Broadcast (Non-residential sites for carpet beetles only)	Mix 85 grams of EVERCIDE Intermediate 2507 concentrate in 3.8 litres of water.	3.8 litres of diluted spray per 93 square metres of surface area.	Thoroughly treat indoor building surface or non-passenger area of transportation vehicles, including cracks and crevices in walls, floors and ceilings, areas around pipes and other utility installations, floors under appliances (e.g., refrigerators) and along baseboards, dark corners of rooms and closets and points of entry (e.g., around doors and windows). For ants, apply to ant trails.
	Brown Dog Ticks and Fleas	Indoor Perimeter Spot Crack and Crevice Void Broadcast (Non-residential areas only)			DO NOT apply to furniture, mattresses, linens, toys or clothing. Apply to indoor building surfaces, including cracks and crevices in walls and floors, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings. Pet bedding may be entirely treated with this product or replaced with clean, fresh bedding after other listed areas are treated.
	Carpenter ants	Indoor Perimeter Spot Crack and Crevice Void			DO NOT SPRAY PETS WITH THIS PRODUCT. Only treat pets with products specifically registered for use on that type of pet. For effective flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area.
					Apply at points of entry such as door and window frames. Spray into cracks and crevices, through openings or small newly drilled holes into wall voids where these ants or their nests are present.

B. Instructions for Use Outdoors on the Exterior Surfaces and Perimeter of Buildings and Porches, Patios and Decks

How to Apply Outdoors on the Exterior Surfaces and Perimeter of Buildings and Porches, Patios and Decks:
 APPLY AS AN OUTDOOR PERIMETER, SPOT OR OUTDOOR STRUCTURAL BROADCAST TREATMENT ONLY.

Outdoor Perimeter: Outdoor perimeter application is 1 m or less out from the building's foundation and to a maximum height of 1 m starting where the foundation meets the ground.

Spot Application: Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area treated.

Outdoor Structural Broadcast: Outdoor broadcast application is to large outdoor structural surfaces (in other words, roofs, walls, doors, windows and foundations).

Additional Restrictions Relevant to Outdoors on the Exterior Surfaces and Perimeter of Buildings and Porches, Patios and Decks:

- DO NOT spray in or near fishponds or other bodies of water.
- DO NOT allow spray to contact ornamental plants or ornamental shrubs.
- Treatment must only be repeated after 14 days if pest problem persists or reoccurs.

Location of Use	Pest	Application Method (See How to Apply for Further Information)	Concentration	Maximum Rate of Diluted Product	Notes for specific pests:
OUTDOORS: Exterior Surfaces and Perimeter of Buildings listed on this label Porches, Patios and Decks	Ants, cockroaches, crickets, sowbugs, spiders and ticks	Spot application Outdoor Broadcast	Mix 85 grams EVERCIDE Intermediate 2507 per 3.8 litres of water	3.8 litres of diluted spray per 93 square metres	Apply to outside surfaces of buildings, porches, patios and decks. DO NOT allow spray to contact ornamental plants or shrubs because of possible injury.
	Ants, centipedes, crickets, sowbugs (pillbugs) and spiders	Outdoor Perimeter			To help prevent infestations of listed pests into buildings, treat 1 m or less out from the building's foundation and to a maximum height of 1 m starting where the foundation meets the ground.

C. Instructions for Use Outdoors on Lawns to Control Fleas.

How to Apply Outdoors on Lawns to Control Fleas:

Spot Application: Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area treated. Treatment must only be repeated if pest problem persists or reoccurs. DO NOT exceed the application rate and number applications per year.

Location of Use	Pest	Application Method (See How to Apply for Further Information)	Concentration	Maximum Rate of Diluted Product	Minimum Reapplication Interval	Maximum Number of Applications per Year	Notes for specific pests:
Lawns at listed structures	Fleas	Spot treatment	Mix 85 grams EVERCIDE Intermediate 2507 per 3.8 litres of water	3.8 litres of diluted spray per 93 square metres	14 days	2	<p>Toxic to bees. Avoid applications when bees are foraging in the treatment area in ground cover containing blooming weeds.</p> <p>Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs and cats should be treated with a registered flea control product in conjunction with this application.</p> <p>Use EVERCIDE Intermediate 2507 in a spray tank or hose-end sprayer as a spot treatment only. For best results, lawn should be mowed a day or two before spraying. Spray only areas where pets normally rest, such as shaded areas not in direct sunlight.</p>

2023-1990
2024-02-01

ENVIRONMENTAL PRECAUTIONS:

This product contains active ingredients and aromatic petroleum distillates which are toxic to aquatic organisms. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Toxic to birds. Toxic to bees. Bees may be exposed through direct spray, spray drift, and residues on leaves, pollen, and nectar in flowering crops and weeds. Minimize spray drift to reduce harmful effects on bees in habitats close to the application site. Avoid applications when bees are foraging in the treatment area in ground cover containing blooming weeds. To further minimize exposure to pollinators, refer to the complete guidance "Protecting Pollinators during Pesticide Spraying – Best Management Practices" on the Health Canada website (www.healthcanada.gc.ca/pollinators). Follow crop specific directions for application timing. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application of this product when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative filter strip between the treated area and the edge of the water body.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not contaminate food or feedstuffs. For mechanically pressurized handgun applications, wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, and a respirator with a NIOSH-approved organic-vapour removing cartridge with a prefilter approved for pesticides, or a NIOSH-approved canister approved for pesticides during mixing, loading, application, clean-up and repair DO NOT enter or allow entry into treated areas until sprays have dried.

If entering treated areas prior to venting or before the 2-hour re-entry interval, wear chemical-resistant coveralls with a chemical-resistant hood over long-sleeved shirt, long pants, chemical-resistant gloves, socks, chemical-resistant footwear and a respirator with a NIOSH-approved organic-vapour-removing cartridge with a prefilter approved for pesticides OR a NIOSH-approved canister approved for pesticides.

DO NOT handle more than [0.05 kg a.i. to be reported in product equivalent value] per person per day when using mechanically-pressurized handheld sprayer for mists, aerosols, and fogs (droplet size 0.1–100 µm). These restrictions are in place to minimize exposure to individual applicators. Application may need to be performed over multiple days or using multiple applicators.

FIRST AID: In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. In case of contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. In case of Medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, information may be obtained by calling 1-888-740-8712.

TOXICOLOGICAL INFORMATION: Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DISPOSAL & DECONTAMINATION: Do not reuse this container for any purpose. This is a recyclable container and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site: 1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. 2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

STORAGE: Keep container closed. Mix well in drum before sampling and each use. Store in a cool, dry place. Do not store, pour or spill near heat or open flame.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.