

2023-2304

2024-02-14

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03/02/2025 in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

BUGWACKER TALL

INSECTICIDE

READY TO USE PRESSURIZED SPRAY

COMMERCIAL

For indoor use at milking parlours, milk houses, food processing plants, restaurants, hotels, hospitals and other commercial and industrial buildings to kill/control: Flies, House flies, Face flies, Stable flies, Horn flies, Horse flies, Mosquitoes, Wasps, Cockroaches, Ants, Spiders, Silverfish, Crickets, Centipedes, Carpet beetles, Fleas, and Bed bugs. For use on beef and dairy cattle (lactating and non-lactating to kill/control house flies, stable flies, and horn flies.

SHAKE WELL BEFORE USING

ACTIVE INGREDIENTS :

Pyrethrins.....0.50%
Piperonyl Butoxide4.00%

REGISTRATION NO. 23.433 PEST
CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

EXTREMELY FLAMMABLE

EXPLOSIVE

CAN-VET Animal Health Supplies Ltd.
4-61 Malcolm
Rd Guelph,
Ontario N1K
1A7

NET CONTENTS 600g

DIRECTIONS: Hold can upright while spraying

How to Apply

DO NOT APPLY AS A BROADCAST TREATMENT. Apply as a space spray, crack and crevice, perimeter, spot or furniture (pet bedding, mattresses, box springs and bed frames only) treatment only. Space application is a suspension of fine droplets in the air within an indoor space. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings. Perimeter application is less than 0.3 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room. Furniture treatment: *broadcast application* covers large areas of the entire surface of items; *crack and crevice treatments* are applications to junction points on items; *spot application* is up to 10% of the surface of the item; and *tuft and/or seam treatment* (mattresses only) is to the junction of two or more pieces of fabric and any decorative trim (e.g., buttons).

FLYING INSECTS: Flies, Mosquitoes, Wasps, Gnats and Flying Moths. Close doors and windows. Apply a 6-10 second burst per 30m³ of space. Direct mist upwards in sweeping motion to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present, insects must be contacted to be killed. Keep spray at least 1m from interior walls, fabrics and furniture. Keep doors and windows closed for 15 minutes after each treatment. Ensure proper ventilation after sealed areas have been treated and clean up dead insects. Spray only when temperature is under 32°C .

CRAWLING INSECTS: Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silver fish. Spray hiding places such as base boards, moist area, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames, or in ant nests. Insects must be hit with spray to be killed.

BED BUGS: Spray mattress, particularly around seams and tufts. Take bed apart, spray all joints. Repeat as required. Also spray cracks, crevices, baseboards and other possible hiding places around the room.

FLEAS: Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Remove old bedding and replace with fresh, clean bedding after treatment. Insects must be contacted to be killed. Do not treat pets with this product.

SPACE SPRAY: Kills insects in Milking Parlours and Milking Rooms. Direct Spray upwards to all parts of the room especially windows and other light sources. Apply at a rate of 6 to 10 seconds per 30m³. Remove all animals from treatment area before using as a space spray. For best results, close all doors and windows during treatment and keep room closed for 15 minutes before ventilating. Ventilate treated area for at least 30 minutes before animal re-entry. Insects must be contacted to be killed. Sweep up dead insects. Repeat as necessary with additional spraying of breeding areas. Spray only when temperature is under 32°C.

LIVESTOCK SPRAY: To treat Beef and Dairy Cattle against attacks of houseflies, stable flies and horn flies, spray animals once daily with a fine mist. Apply at a rate of 6 to 8 seconds per animal. Spray should be enough to wet ends of hair only. Do not wet the hair or skin. Take care not to spray in the animal's eyes or mouth. Treat dairy cattle at least 20 minutes before milking.

Do not spray directly on udder. Wash udders before milking. Do not use more often than once a day. Do not contaminate feed or water troughs. Do not spray over milk or milking equipment.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair. **DO NOT** remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Cover milk and milking utensils to prevent contamination from spray and dead insects. (Any treated surfaces that may contact food and feed products should be washed thoroughly with potable water after spraying and before re-use). Avoid contact with skin and eyes. Wash after using. **CONTENTS UNDER PRESSURE:** Do not place in hot water or near radiators, stove or other sources of heat. **DO NOT** puncture or incinerate can or store at temperatures over 50°C. Do not spray into or near any open flame or spark. In food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming. Avoid contact with treated animals until dried. When applying to overhead areas or in confined spaces, wear appropriate respiratory and eye protection.

Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

DO NOT apply more than once per day during peak fly season. **DO NOT** apply more than once a week during non-peak fly season.

Treatment must only be repeated if pest problem persists or reoccurs.

Not for use on humans. Avoid inhalation of spray.

Use Limitations

- **DO NOT** apply when people or pets are present. Additionally for space applications, **DO NOT** apply when livestock are present.
- **DO NOT** apply when a food/feed processing facility, milking parlour, milk room, or milk house is in operation.
- **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed (including bulk tanks that contain milk). Cover or remove all milking equipment and thoroughly wash before use. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed (including milk) accidentally contaminated with spray solution must be discarded.
- **DO NOT** apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.
- Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used.
- When applied as a space treatment: **DO NOT** remain in treated areas after application. **DO NOT** allow people, pets or livestock to enter treated areas until 2 hours after application. The commercial applicator is responsible for informing workers and others of this requirement.
- When applied as a surface treatment: **DO NOT** allow spray to drip or allow drift onto non-target surfaces. **DO NOT** enter or allow entry into treated areas until sprays have dried.

TOXICOLOGICAL INFORMATION: Treat Symptomatically. Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include

respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest Control Product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.