
IRGACIDE PT 951

INDUSTRIAL

Controls bacteria, fungi, and yeast in paper mills **DANGER**



POISON CORROSIVE POTENTIAL SKIN SENSITIZER

READ THE LABEL BEFORE USING

GUARANTEF:

2,2-dibromo-3-nitrilopropionamide 20%

REGISTRATION NO. 23641 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 100L, 200L, 1150L, bulk

65G: 7UbUXU ≠bW

2) h : `ccfz%\$\$ A]j Yfhcb'8f]j YžMississauga, OB L5F (<% 1-, ++!' +%&&+'

DIRECTIONS FOR USE

VES IN ORDER TO AVOID DECOMPOSITION OF IRGACIDE PT 951 DUE

NOTE: ADD IRGACIDE PT 951 SEPARATELY TO THE SYSTEM. DO NOT MIX IT WITH OTHER ADDITI

VES IN ORDER TO AVOID DECOMPOSITION OF IRGACIDE PT 951 D

TO THE HIGH pH OF MANY ADDITIVE FORMULATIONS.

PAPER MILLS: For the control of bacterial, fungal and yeast growth in pulp, paper, and paperboard mills, add IRGACIDE PT 951 at the rate of 60 - 210 mL per tonne of pulp or p

(dry basis). Addition may be continuous or intermittent depending upon the type of system and the severity of contamination. It should be made with a metering pump at a location that will insure uniform distribution of IRGACI DE PT 951 in the mass of fibre and water such as the beaters, jordan inlet or discharge, broke chest, furnish chests, save - alls and white-- 210 mL per tonne of pulp or paper

Heavily fouled systems should be boiled out, then treated with 60 -140 mL IRGACIDE PT 951 per tonne of paper (dry basis), as necessary for control.

Moderately fouled systems should be treated continuously with 140- 210 mL IRGACIDE PT 951 per tonne of paper (dry basis) until the slime accumulation is controlled. Addition rates can then be reduced to 60 - 140 mL IRGACIDE PT 951 per tonne of paper on a continuous or intermittent basis, as needed for control. Dislodged slime may cause breaks in the paper and a cleanup of the paper machine may be advisable.

Slightly fouled systems should be treated continuously with 60 - 140 mL IRGACIDE PT 951 per tonne of paper (dry basis) until the slime is controlled, then added on an intermittent

basis to maintain control.

DANGER - KEEP OUT OF REACH OF CHILDREN.
CAUSES SEVERE BURNS OF EYES. MAY BURN THE SKIN. MAY BE HARMFUL OR FATAL IF SWALLOWED. POTENTIAL SKIN SENSITIZER. Do not get in eyes, on skin, or on clothing. Wear Chemical Workers' goggles when handling. Wear a long-sleeve shirt, long pants and shoes plus socks when handling. Wash thoroughly after handling. Users should remove clothing immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing. Wash contaminated clothing separate from laundry prior to reuse. Users should remove protective clothing immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. using the toilet.

ENVIRONMENTAL HAZARD

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority.

To maintain product quality, store at temperatures below 60°C. Keep package tightly closed when not in use.

FIRST AID If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label, or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

Do not ship or store with food, feeds, or clothing.

DISPOSAL

- 1. Triple or pressure-rinse the empty container. Add rinsings to the treatment site.
- 2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Ac inconsistent with the direction on the label. The user assumes the risk to persons or property that arises from any such use of this product.

t to use this product in a way that is

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.