

2013-5492  
2013-12-03

CONTROLCHEM 2622

LIQUID MICROBIOCIDE  
INDUSTRIAL  
READ THE LABEL BEFORE USING

WARNING  
POISON  
CORROSIVE TO THE EYES  
SKIN IRRITANT  
POTENTIAL SKIN SENSITIZER

GUARANTEE:  
Potassium Dimethyldithiocarbamate 10 % (by weight)

REGISTRATION NO. 21691  
PEST CONTROL PRODUCT ACT  
NET CONTENTS: 205 KG

ControlChem Canada Ltd.  
4460 Harvester Road  
Burlington, Ontario, L7L 4X2  
Canada  
(905) 319-2234

#### DIRECTIONS FOR USE

Cooling Tower Systems: prior to use in water cooling towers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 800 to 1200 ml per 10,000 liters of water should then be added to the sump of the cooling towers. Repeat the initial dosage until control is evident. Subsequent slug additions of 400 to 1200 ml per 10,000 liters of water should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

Industrial Air Washing System: Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 186 to 236 ml per 1,000 liters of water should then be added to the sump or the water is evident. Subsequent slug additions of 86 to 236 ml per 1,000 liters of water should then be added to the sump or the water collector trays. Repeat the initial dosage until control is evident. Subsequent slug additions of 86 to 236 ml per 1,000 liters of water should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem. For use only in systems equipped with effective mist eliminating components.

2013-5492  
2013-12-03

#### ENVIRONMENTAL HAZARDS:

Toxic to aquatic organisms. Do NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

#### NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

#### PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Corrosive to the eye. Do NOT get in eyes.  
Corrosive to the skin. Do NOT get in the skin.  
Potential skin sensitizer.  
Harmful if swallowed.

Wear long-sleeved shirt, long pants, chemical-resistant gloves, protective eyewear (goggles or face shield) when handling the product, clean-up and repair activities. Do not get on clothing. Do not contaminate food.

#### FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION:

2013-5492

2013-12-03

Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage. Treat symptomatically.

**DISPOSAL:**

1. Triple-or pressure – rinse the empty container. Add the risings to the treatment site.
2. Follow the provincial instructions for any required additional cleaning of the container prior to its disposal or recondition.
3. Make empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contac the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.