

2013-5492
2013-12-03

CONTROLCHEM 2661

LIQUID MICROBICIDE
INDUSTRIAL

READ THE LABEL BEFORE USING

GUARANTEE:

Poly[oxyethylene (dimethyliminio)ethylene (dimethyliminio) -
ethylene dichloride].....10%(by weight)

REGISTRATION NO. 21690
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 205L, 23 L

ControlChem Canada Limited
4460 Harvester Road
Burlington, ON L7L 4X2
Canada
(905) 319-2234

BROAD SPECTRUM LIQUID MICROBICIDE FOR THE CONTROL OF ALGAE,
BACTERIA AND CONTROL

*NON FOAMING *EFFECTIVE AT BOTH ACID AND ALKALINE pH

DIRECTIONS FOR USE

DO NOT discharge effluent containing this product into sewer
systems, lakes, streams,
ponds, estuaries, oceans, and other waters.

DO NOT contaminate irrigation or drinking water supplies or
aquatic habitats by
cleaning of equipment or disposal of wastes.

1) Cooling Tower Systems: Prior to use in water cooling
towers, systems should be cleaned to remove organic,
inorganic and microbiological deposits. An initial slug
addition of 420 to 1050 mL per 10,000 liters of water should
then be added to the sump of the cooling water towers.
Repeat the initial dosage until control is evident.
Subsequent slug additions of 120 to 1050 mL per 10,000liters

2013-5492
2013-12-03

of water should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleed off and the severity of the microbiological problem.

2) Industrial Air Washing Systems: Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 150 to 240 mL per 1,000 liters of water should then be added to the sump or the water collector trays. Repeat the initial dosage until control is evident. Subsequent slug additions of 105 to 240 mL per 1,000 liters of water should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleed off and the severity of the microbiological problem. For use only in systems equipped with effective mist eliminating components.

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic organisms. Keep out of lakes, streams or ponds. Do not contaminate water, food, or feed by storage or disposal. Do not reuse empty container. Pesticide rinsate that cannot be used or chemically reprocessed should be disposed of in an approved landfill away from water supplies.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

PRECAUTION

KEEP OUT OF REACH OF CHILDREN. Do not mix with any other chemical. Harmful if swallowed. Avoid contact with skin, eyes and clothing. Avoid contamination of food. Wear a long-sleeved shirt and long pants, chemical-resistant gloves, safety glasses (goggles) during handling, clean-up and repair activities. In addition, a chemical-resistant apron is required for workers handling end-use products in industrial settings. Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

2013-5492
2013-12-03

EMERGENCY AND FIRST AID INSTRUCTIONS

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Probable mucosal damage following ingestion may contraindicate gastric lavage. Avoid giving alcohol or alcohol related products. Treat symptomatically.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused,

2013-5492

2013-12-03

unwanted product and the cleanup of spills contact the regional office of Conservation and Protection Service, Environment Canada.5.For small spills, recover free liquid. Soak up residue with solids absorbant. DO NOT FLUSH INTO SURFACESTREAMS. INFORM ENVIRONMENT CANADA AS IN #4.