

2024-09-06
2023-5689

VET-KEM® Siphotrol Forte

With PRECOR® Insect Growth Regulator (IGR)

SOLUTION

FOR INDOOR USE ONLY.

Kills fleas, brown dog and American dog ticks, cockroaches, silverfish, earwigs and ants in the home.

Provides 210 days residual action against pre-adult fleas.

DOUBLE ACTION

Kills Adult and Pre-Adult Fleas.

Premise Treatment

Treats surface area of (*add appropriate area here which would achieve 25.4mL product/square metre*) m² (*add equivalent in ft².*)

DOMESTIC

ACTIVE INGREDIENT:	(S)-Methoprene	0.01%
	Permethrin	0.28%

REG. NO. 22213 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN

READ LABEL BEFORE USING

100 mL to 1 L

Wellmark International
100 Stone Road West, Suite 111
Guelph, ON N1G 5L3
1(800) 688-7378

DIRECTIONS FOR USE

General Information: Siphotrol Forte kills adult and pre-adult fleas in the home. It contains a unique combination of two insect control ingredients, permethrin and Precor. The permethrin kills adult fleas, brown dog and American dog ticks, cockroaches, silverfish, earwigs and ants. Precor, an insect growth regulator, breaks the flea life cycle by preventing the flea's development into the adult biting stage for up to 210 days.

It controls fleas hidden in carpets, rugs, drapes, upholstery and pet bedding. Siphotrol Forte leaves no bad smell, no sticky mess and will not stain furnishings. Because of the long term flea control provided by Siphotrol Forte, regular use of this product will reduce the need for topical treatment of pets for ectoparasites. This product is designed for use on carpeting, however, some natural fibres (such as wool) and synthetics may be adversely affected by any liquid product – always test a hidden area prior to use. Care should be used when treating wood surfaces, as water spotting may occur. Users should test (treat) a small, inconspicuous area first to ensure there are no adverse effects such as staining or discolouration. Good sanitary practices should be maintained to prevent re-infestation. One (*add net contents of container in mL or L*) bottle will treat approximately (*add appropriate area here which would achieve 25.4mL product/square metre*) square metres (*add equivalent in ft²*) which is approximately 25.4 mL product/square metre (2.4 mL product/ft²).

Restrictions: FOR INDOOR USE ONLY. DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed. DO NOT apply when people or pets are present. DO NOT allow people or pets to enter treated areas until sprays have dried. DO NOT allow spray to drip or allow drift onto non-target surfaces. DO NOT apply to people, pets, or sources of electricity. Remove pets and birds, and cover or remove fish tanks or bowls. DO NOT apply to furniture, mattresses, linens, toys or clothing. DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces). Ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air.

DO NOT apply as a space spray or broadcast application. Apply as a crack and crevice spot or indoor perimeter treatment only. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings. Spot treatment is localized to a surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room. Indoor perimeter application is less than 0.3 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows.

Application Instructions for fleas and ticks: For effective flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area. DO NOT TREAT PETS WITH THIS PRODUCT. Only treat pets with products specifically registered for use on that type of pet.

Step One - Prepare the Treatment Area: Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding area prior to treatment with this product. For effective flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area.

Step Two - Spray the Area: SHAKE WELL BEFORE USING. This product can only be applied as a spot or indoor perimeter application to cracks and crevices in walls and floors, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings (e.g., rugs, carpets). Pet bedding may be entirely treated with this product or replaced with clean, fresh bedding after other listed areas are treated. When applying this product to these locations, adjust the spray nozzle to create a fine mist and use a sweeping motion to apply a light, uniform spray. Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible. If pest problems persists, a second application 2-3 weeks after the initial treatment may be necessary. Treatments must only be repeated after 14 days if pest problem persists or reoccurs.

Applications Instructions to kill cockroaches, ticks, silverfish, earwigs and ants: This product can only be applied as a crack and crevice, spot or indoor perimeter application to cracks and crevices in walls and floors, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings (e.g., rugs, carpets). When applying this product to these locations, adjust the spray nozzle to create a fine mist and use a sweeping motion to apply a light, uniform spray. Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible. If pest problems persists, a second application 2-3 weeks after the initial treatment may be necessary. Treatments must only be repeated (after 14 days) if pest problem persists or reoccurs. Good sanitary practices should be maintained to prevent re-infestation.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Wash thoroughly after handling. Do not allow children or pets to walk on treated surface until completely dry. Do not spray on plants or animal feed areas. Thoroughly wash all surfaces that might be in contact with food before re-use. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

FIRST AID

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

If on skin or clothing: take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed: call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION

This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

STORAGE – DISPOSAL

Store in original container, away from children. Store this product away from food or feed. Protect from freezing or high temperatures. Do not re-use empty container. Wrap empty container and place in household garbage. Unused or partially used products should be disposed at provincially/territorially or municipally designated hazardous waste disposal sites.

Hotline: 1-800-688-7378

Vet-Kem and Siphotrol are Registered Trademarks of Wellmark International.