

2018-0837
2018-03-06



CuRAP® 20
WOOD PRESERVATIVE PASTE
COMMERCIAL

For use ONLY as a groundline remedial treatment for exterior industrial wood products.
For Exterior Industrial use only. Not for use in dwellings.
Harmful or fatal if swallowed. KEEP OUT OF REACH OF CHILDREN.



DANGER



POISON

**CORROSIVE
CORROSIVE TO EYES AND SKIN**

CHEMICAL BURNS AND BLINDNESS MAY RESULT FROM EYE CONTACT.
POTENTIAL SKIN SENSITIZER

READ THE LABEL BEFORE USING

GUARANTEE:

Copper present as mixed copper ethanolamine complexes 2%
Borax 40%

REGISTRATION NO. 22083 PEST CONTROL PRODUCTS ACT

NET CONTENTS: _____ 22.68 kilograms _____ 127 kilograms

Genics Inc.
27717 Acheson Road
Acheson, AB T7X 6B1 780-962-
1000

STORAGE:

Store away from food/feed in a secure, well-ventilated area protected from extreme temperatures. Do not allow to freeze. Do not transfer to unmarked containers. Keep container closed when not in use.

DISPOSAL:

1. Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill.

FOR PRODUCT EMERGENCIES: CHEMTREC - 1-800-424-9300

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

PRODUCT LIMITATIONS: For use ONLY in the exterior remedial groundline treatment of:

1. Utility Poles & Piling
2. Outdoor Wooden Structures

TREATED WOOD LIMITATIONS:

CuRap 20 should be used only for treatment of wood having NO OPPORTUNITIES FOR:

1. Direct contact with or becoming a deleterious component of drinking water.
2. Use in
 - a) residential construction
 - b) food / feed storage/production or animal housing
 - c) playground equipment
3. Prolonged skin contact

DIRECTIONS FOR USE:

Post a copy of this label at the treating site, or mobile treatment vehicle.

DO NOT apply this product to wood that will be used in water.

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PREPARATION: Clean and inspect the wood prior to treatment. This product is intended for use as a remedial treatment for wooden utility poles, power poles and remedial treatment for wood structures susceptible to attack by decay and soft rot fungi, carpenter ants or wood boring beetles. This product assists in controlling termite infestations.

This product may be applied to form a layer 2.0 millimeters to 10.0 millimeters thick by brush or trowel, or by application to paper via a suitable POLE BANDAGE MAKER. Use a trowel to apply deep checks in wood or fill a caulking gun with the preservative and apply liberally.

For utility poles, pilings, posts or other wood structures standing in the ground, excavate the soil away from the structure to a depth of about 42 centimeters. Wire brush the surface to remove adhering soil and remove any damaged wood. The structure should be inspected for internal decay and insect attack by taking increment borings. Remedial treatment of sampling areas prior to plugging is advisable. Measures to prevent the inoculation and spread of decay organisms from inspection instruments to pole or soil to pole via the inspection procedure are necessary.

Bandages may be prepared to cover groundline areas of structures in bands typically 45 centimeters to 58 centimeters in height. This product should be applied to at least cover the wood surface 10 centimeters below the last evidence of decay and 8 centimeters above the groundline. More than one bandage may be used in special cases where the structure spans a height greater than 56 centimeters, such as on hillsides.

The above ground portion of the treated area must be protected by suitable mechanical means to prevent damage to the bandage and/or access to the preservative by pets, farm animals and people.

EFFICACY: The effectiveness of remedial treatments with this product will be dependent on a number of parameters, including condition of the wood when treated, wood species, type of decay hazard, workmanship, and previous and subsequent treatments.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes irreversible eye damage and skin burns. Potential skin sensitizer. May be harmful or fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapour. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after skin contact and before eating, drinking, use of tobacco products or using restrooms. Do not carry, store or consume food or drink in areas where this product is stored or used, or where freshly treated wood is stored. Do not carry or smoke cigarettes in working areas. Do not expose cuts or abrasions to this product. Get immediate first aid if eyes contact this product. Keep work area well ventilated. Keep away from open flames. A portable eye wash and wash up facility must be available at the use site.

SAFETY EQUIPMENT

OPERATOR FUNCTION	PROTECTIVE REGIME
I Operations carried on that entail opportunity for direct contact with this product, e.g. a. Application of the product b. Cleaning maintenance activities c. Transferring product to application equipment	Coveralls over long-sleeved shirt and long pants, protective eyewear (ie: chemical goggles or face shield), chemical resistant gauntlets (long sleeve gloves), chemical resistant apron, head gear and chemical resistant boots. Use a cartridge respirator in poorly ventilated areas.
II Operations involving storage and handling of sealed product.	Coveralls, chemical resistant gloves and chemical resistant boots.

USE PROTECTIVE CLOTHING MADE FROM THE FOLLOWING MATERIALS:

Viton, Neoprene, Polyvinyl chloride. Launder work clothing separately from other household clothing. Replace any defective, worn or contaminated protective equipment immediately.

TOXICOLOGICAL INFORMATION

Chemical burns and blindness may result from eye contact. Chemical burns can result from prolonged skin contact. Contains monoethanolamine. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

ENVIRONMENTAL HAZARDS

Toxic to aquatic organisms.

FIRST AID

EYE CONTACT: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF IN CONTACT WITH SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

INGESTION: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.