NET CONTENTS 4 L

VÉTO IV

INSECTICIDE WITH CITRONELLA FRAGRANCE

INSECTICIDE FOR USE IN AND AROUND HOMES

DOMESTIC

READ THE LABEL BEFORE USING

GUARANTEE (W/W)

Pyrethrins 0.1 % Piperonyl Butoxide 1.0 %

To control house flies, wasps, mosquitoes and biting midges.

DANGER

POISON

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NUMBER 24332 PEST CONTROL PRODUCTS ACT

VÉTOQUINOL N.-A. INC. 2000 chemin Georges, Lavaltrie, QC, J5T 3S5 1-800-363-1700

VÉTO IV INSECTICIDE:

Premium fogging insecticide for use as a spray for the control of house flies, mosquitoes, wasps and biting midges.

DIRECTION FOR USE

Close doors and windows. Turn off all possible sources of ignition in area to be treated. Apply as a space spray at arate of 60 mL of insecticide per 30 m³ of space. Spray upwards to fill area with a fine mist. Keep area closed 15 minutes before ventilating. Direct spray upwards to all parts of room especially windows and other light sources and to areas where insects are present. The insects must be in contact with VÉTO IV Insecticide with Citronella Fragranceto be killed. Ventilate treated areas thoroughly for 30 minutes before reentry. Sweep up dead insects. Repeat as necessary with additional spraying of breeding areas. Spray only when temperature is under 32°C.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes, and clothing. Avoid inhalation of spray. Wash after use. Cover fish bowls and remove pets when spraying rooms. Remove or cover all exposed foods and cooking utensils before spraying. This product is toxic to fish, do not contaminate any body of water. Do not spray near open flame or spark, or while smoking. Do not spray closer than 1 m etre to fabric, furniture, or interior walls. Exceeding dosage rates and bi-weekly applications may cause stains on fabrics, furs and other materials. This product contains medium aliphatic solvent naphta at 98%, which requires further toxicological testing.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse em pty container. Make em pty container unsuitable for further use. Dispose of empty container in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.