

2023-3228

2024-04-03

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 09-02-2024 in accordance with the phase out period set out in the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-3228
2024-04-03

K-G Milk Room & Cattle Spray III

PRESSURIZED SPRAY

AGRICULTURAL

For indoor use at MILKING PARLOURS, MILK HOUSES, DAIRY BARNS AND BEEF BARNS. Kill and repels Stable flies, House flies, Horn flies, Mosquitoes, Biting midges.

For use on beef and dairy cattle (lactating and non-lactating) to kill and repel listed flies (Stable flies, House flies, Horn flies, Mosquitoes, Biting midges.)

ACTIVE INGREDIENTS

Pyrethrins	0.30%
Piperonyl Butoxide	2.40%

REGISTRATION NO. 24244 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 150-550 g

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

READ THE LABEL BEFORE USING KEEP
OUT OF THE REACH OF CHILDREN

PLZ CORP. f/k/a K-G
SPRAY-PAK INC.
8001 Keele Street
Vaughan, Ontario
L4K 1Y8
905-669-9855

2023-3228
2024-04-03

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

FIRST AID TREATMENT: **If swallowed:** Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. **DO NOT** remain in treated areas. Ensure proper ventilation after sealed areas have been treated. . Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. CONTENTS UNDER PRESSURE. **DO NOT** place in hot water or near radiators, stove, or other sources of heat. **DO NOT** puncture or incinerate can or store at temperatures over 50°C. **DO NOT** spray into or near any open flame, spark or while smoking.

DIRECTIONS FOR USE: SHAKE WELL BEFORE USING. Hold can upright while spraying.

- **FOR USE:** In Milking Parlours, Milk Houses, Dairy Barns, and Beef Barns, and on Beef and Dairy Cattle.
- **KILLS AND REPELS:** Stable flies, House flies, Horn flies, Mosquitoes, Biting midges.

FOR USE INSIDE THE FOLLOWING STRUCTURES: Milking Parlours, Milk Houses, Dairy Barns and Beef Barns.

Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. For all labeled uses, treatment must only be repeated after 7 days if pest problem persists or reoccurs. Good sanitary practices should be maintained to prevent re-infestation.

Use Limitations

- **DO NOT** apply when people, pets or livestock are present.
- **DO NOT** remain in treated areas after application.

2023-3228
2024-04-03

- **DO NOT** allow people, pets, or livestock to enter treated areas until 2 hours. The commercial applicator is responsible for informing workers and others of this requirement.
- **DO NOT** apply when a food/feed processing facility, milk parlour or milk house is in operation.
- **DO NOT** apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed (including bulk tanks that contain milk). Cover or remove all milking equipment and thoroughly wash before use. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. Any food/feed (including milk) accidentally contaminated with spray solution must be discarded.
- When applying to overhead areas or in confined spaces, wear appropriate respiratory and eye protection.
- Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used.

How to Apply

APPLY AS A SPACE SPRAY ONLY. Space application is a suspension of fine droplets in the air within an indoor space.

FOR USE ON BEEF AND DAIRY CATTLE (LACTATING AND NON-LACTATING)

Use Limitations

- **DO NOT** exceed 73.3 g (16.30 seconds per m²) per animal per treatment.
- **DO NOT** treat eyes/eyelids and mucous membranes (e.g., nose, mouth, genitals).
- **DO NOT** use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.
- Discontinue use if animal develops irritation after treatment with this product.
- Treat dairy cattle at least 20 minutes before milking. **DO NOT** spray directly on udders. Wash udders before milking.
- **DO NOT** contact treated animals until sprays have dried.

To treat listed livestock against Stable flies, House flies, Horn flies,

Mosquitoes, Biting midges: Apply a light, uniform spray at the rate of 73.3 g (16.30 seconds per m²) per animal, taking care to treat back, withers and forelongs. Thoroughly coat the hair of the animal – DO NOT wet the skin. DO NOT apply as a spray to the face of the animal. To treat the face, moisten (not to the point of dripping) a clean, soft cloth with product and thoroughly rub the moistened cloth on the face of the animal, being certain to avoid contact with the eyes/eyelids and mucous membranes. DO NOT apply more than once per day during peak fly season. DO NOT apply more than once a week during non-peak fly season. Treatment must only be repeated if pest problem persists or reoccurs.

For resistance management, **K-G CATTLE ROOM SPRAY III** contains a Group 3 insecticide. Any insect population may contain individuals naturally resistant to **K-G CATTLE ROOM SPRAY III** and other Group 3 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same locations. Other resistance mechanisms that are not linked to

2023-3228
2024-04-03

site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed. To delay insecticide resistance:

- Where possible, rotate the use of **K-G CATTLE ROOM SPRAY III** or other Group 3 insecticides with different groups that control the same pests in the location to be treated.
- Insecticide use should be based on an IPM program that includes scouting and record keeping, and considers cultural, biological, and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact {company representatives} at 866-836-8855 or at {Internet site}.

STORAGE

Store this product away from food and feed.

DISPOSAL: Press valve to completely empty can. Dispose of can in accordance with Provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for information on the clean- up of spills.