This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 09-02-2024 in accordance with the phase out period set out in the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

## BUZZ-UP

## HOUSE & GARDEN INSECT KILLER

For indoor use in buildings to kill Flies, Mosquitoes, Wasps, and Biting midges, Cockroaches, Spiders, Crickets, Ants, Carpet beetles, Centipedes, Silverfish, Bed bugs, and Fleas. For use on outdoor ornamental plants to kill the following sucking insects: Thrips, Leafhoppers, Spotted mites, Lace bugs, Aphids and the following Chewing insects: Climbing cutworms, and Japanese beettles. DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs)

#### DOMESTIC

Pressurized space & contact spray REGISTRATION NO. 24979 P.C.P. ACT ACTIVE INGREDIENTS : Pyrethrins : 0.20 % Piperonyl Butoxide : 0,80 % NET CONTENTS : 350 GRAMS CAUTION EXPLOSIVE READ THE LABEL BEFORE USING KEEP OUT THE REACH OF THE CHILDREN

Manufactured for Chasse-Moustiques BUZZ-UP! C.P. 503, Saint-Hyacinthe, Qué Canada, J2S 7B8 Phone number: (450) 778-7575

### NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

### DIRECTIONS FOR USE:

SHAKE BEFORE USING. Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. For all labelled uses, treatment must only be repeated after 7 days if pest problem persists or reoccurs. When applied indoors, good sanitary practices should be maintained to prevent re-infestation.

### FOR INDOOR USE AT BUILDINGS

### LIMITATIONS OF USE

- DO NOT apply this product if people or pets are present.
- DO NOT allow people or pets to enter treated areas until spray has dried.

• DO NOT apply this product to surfaces likely to come into contact with food intended for human or animal consumption. Cover or remove all human and animal foods. Cover surfaces, equipment and accessories used in food and feed processing, or wash them thoroughly after processing. Discard any food intended for human or animal consumption that has been accidentally contaminated by the sprayed solution.

• Ventilate sites after treatment by opening windows and doors or using fans if necessary to facilitate air circulation.

• Use as a surface treatment spray: DO NOT apply overhead or in confined areas (e.g. attics, crawl spaces, small storage rooms,

closets). DO NOT allow spray mist to drip or drift onto non-target surfaces.

### HOW TO APPLY

DO NOT APPLY AS A GENERALIZED TREATMENT. Apply as a treatment for ambient air, cracks and crevices, perimeter or localized. Ambient air treatment consists of applying the product in the form of a suspension of fine droplets in the ambient air of an indoor space.

A crack and crevice treatment involves applying the product directly into narrow openings on the surface of the structures. It does not include the treatment of exposed surfaces. Narrow openings are typically found at expansion joints, at utility entry points, and

2023-4312 2024-01-26

along baseboards and trim. A perimeter treatment consists of applying the product indoors in a narrow strip (with a width of less than 0.3 meters) along the perimeter of a room on plinths, wall and floor junctions or walls and ceiling and around door or window frames.

A spot treatment involves the localized application of the product over an area of less than 0.2 square meters. Spot treatment sites must not touch each other and the total area of spot treatments must be less than 10% of the total area of a room. Furniture treatment: widespread application is on large parts or the entire surface of the item; crack and crevice treatments are applications to the junction points on the item; a spot treatment is an application to up to 10% of the surface of the item; and a tufting and seam treatment (mattress only) is the joining of two or more pieces of fabric and any decorative trim (e.g., buttons).

## AMBIENT AIR TREATMENT

To kill Flies, Mosquitoes, Wasps and Burns: Close all windows and doors and turn off ventilation systems and sources of ignition before treatment. Holding the can upright at arm's length, spray upward in sweeping motions toward all areas of the room, especially the ceiling and upper corners of the room, windows, and other sources of light. light. Keep the spray jet at least 1 meter away from interior walls, fabrics and furniture. DO NOT exceed 0.71 g of Buzz-Up! Insecticide For Home And Garden per m3 (0.3 seconds/m3) per average-sized room 30 m3. Leave the treated area and keep windows and doors closed for 15 minutes, then ventilate thoroughly before returning. After ventilation, clean up dead insects.

## SURFACE TREATMENT INSIDE

DO NOT exceed 25.0 g of Buzz-Up! Insecticide For Home And Garden per m2 (12.5 seconds/m2) for all indoor surface treatments.

To kill cockroaches, spiders, crickets, ants, carpet beetles, centipedes, centipedes and silverfish: Carefully treat surfaces inside the structure, including cracks and crevices in walls, floors and ceilings; along and behind plinths; walls behind and floors under appliances (e.g. refrigerators and stoves) and furniture (e.g. cabinets and storage units); around sinks, drains and pipes; localized areas around trash cans; and other structural elements where the indicated insects are found. In the case of silverfish, also spray cracks and crevices in bookcases. Remove any object before treating libraries where books, clothes, toys, towels and other items are stored.

# FOR USE ON OUTDOOR ORNAMENTAL PLANTS

Use Limitations

- DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs).
- DO NOT apply to any body of water.
- DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty.

To kill The following sucking insects: Thrips, Leafhoppers, Spotted mites, Lace bugs, Aphids and the following chewing insects: Climbing cutworms, Japanese beetles on the following plants: Asters, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladiolas, Irises, Marigolds, Petunias, Roses, and Snapdragons, Evergreens, Small deciduous trees, Shrubs and Vines. When listed pests first appear, spray to thoroughly cover all foliage, including upper and lower leaf surfaces until damp. DO NOT wet plants to the point of runoff or drip. When spraying, hold can 30 cm from plants to avoid wetting the foliage. DO NOT exceed 6.0g of Buzz-Up! House & Garden Insect Killer per m2 (3s/m2)

. Apply in early morning or evening – not in direct sunlight. Spray only when air is still and temperature is below 32°C. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. DO NOT place in hot water or near radiators, stoves or other sources of heat. DO NOT puncture or incinerate container, or store at temperatures over 50°C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying. Avoid contact with skin, eyes, clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. DO NOT use on Maidenhair ferns. DO NOT remain in treated areas after application.

ENVIRONMENTAL PRECAUTIONS: Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

FIRST AID: In case of contact with eyes hold eye open and rinse slowly and gently with water for

15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control centre or doctor for treatment advice. In case of contact with skin or clothing take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to

do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness.

STORAGE: Store this product away from food or feed.

DISPOSAL: When container is empty, press button to release all remaining pressure. Wrap and discard empty container in household garbage. DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.