

2013-3124
2013-08-20

AQUAGUARD 606

For control of Algal, Bacterial and Fungal Slimes in Recirculating Cooling Water Systems and Pulp and Paper Systems

COMMERCIAL

READ THE LABEL BEFORE USING

GUARANTEE:

Available bromine present as 1-Bromo-3-chloro-5,5-dimethylhydantoin and related hydantoins.....64.0%

Available chlorine present as 1-Bromo-3-chloro-5,5-dimethylhydantoin and related hydantoins.....28.0%


REGISTRATION NO 24305

PEST CONTROL PRODUCTS ACT

WARNING



POISON



CORROSIVE

DANGER - CORROSIVE TO EYES AND SKIN
POTENTIAL SKIN SENSITIZER

NET CONTENTS: 22.7 Kg

EACH TABLET WEIGHS 20 GRAMS

GUARDIAN CHEMICALS INC.

155-55202 SH 825

Sturgeon Industrial Park

Sturgeon County, AB

T8L 5C1

Phone (780) 998-3771

NOTICE TO USER

This control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product

DIRECTIONS FOR USE

RECIRCULATING COOLING WATER SYSTEMS: When used as directed AQUAGUARD 606 effectively controls algal, bacterial, and fungal slimes in commercial and industrial cooling towers; influent water systems such as flow through filters, and lagoons; heat exchange water systems, industrial water scrubbing systems; and industrial air washing systems equipped with a mist eliminator.

DOSAGE RATES: Initial dose - When system is noticeably fouled, add 0.25 - 0.75 kg/10 000 L of water contained in the system. Repeat initial dosage until at least 1 mg/L bromine residual is established for at least 4 hours. Subsequent dose - When microbial

control is evident add 0.1 - 0.4 kg/10 000 L of water contained in the system. Repeat as needed to maintain at least 1 mg/L bromine residual in the water for at least 4 hours.

PULP AND PAPER MILLS: This product effectively controls algal, bacterial, and fungal slime in pulp and paper mill fresh and sea water influent water systems; cooling water systems, service water systems, white water systems, and other process. Treat water at critical areas in the system process where mixing of the product with influent will be uniform. The frequency and duration of the treatment will depend upon the severity of the problem. Badly fouled process systems must be cleaned before initial treatment.

DOSAGE RATES:

TREATMENT BY SYSTEM VOLUME: Add up to 0.31 kg of this product to 10,000 L, or 32 parts per million, of water in the system.

TREATMENT BY RESIDUAL METHOD: Add sufficient amount of this product to maintain a measured residual up to 5 ppm as bromine. Once biological control is evident, the use of this product normally can be reduced to something less than 1 ppm as bromine. An alternate method of calculating the appropriate level of this product is to estimate the paper mill's daily production, then add, over a 24 hour period, up to 600 grams of this product per dry metric tonne of paper produced over a twenty four (24) hour period. Test for bromine to verify the level of 5 ppm is not being exceeded.

Note: Not intended for use in potable water systems.

DO NOT use this product in the production of paper or paperboard that will come into contact with food. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans, or other waters.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Highly corrosive to the eyes and skin. Causes eye and skin damage. May be fatal if swallowed. Potential skin sensitizer. Do not get in eyes, on skin or clothing. Wear long pants, a long-sleeved shirt, chemical-resistant gloves and goggles or a face-shield while cleaning equipment and handling product. Irritating to nose and throat. Avoid breathing dust and fumes. Wash contaminated clothing before reuse. For pulp and paper uses, wear coveralls in addition to all other required personal protective equipment while placing the product.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Take container, label, or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage.

DISPOSAL

- 1) Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2) Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3) Make the empty container unsuitable for further use.
- 4) Dispose of the container in accordance with provincial requirements.
- 5) For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill.