ARCH MOLD INHIBITOR K-18500 COMMERCIAL Solution

GUARANTEE:

| 5-Chloro-2-methyl-4-isothiazolin-3-one | 10.5% |
|--|-------|
| 2-Methyl-4-isothiazolin-3-one | 3.5% |

READ THE LABEL BEFORE USING

DANGER





POISON

CORROSIVE

POTENTIAL SKIN SENSITIZER HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

REGISTRATION NO. 24624 PEST CONTROL PRODUCTS ACT

NET CONTENTS:

MANUFACTURED FOR:
ARCH WOOD PROTECTION CANADA CORP.
PO Box 60086
Oakville, ON Canada L6L 6R4
In case of emergency, call 1-800-424-9300 [CCN864796]

MANUFACTURED BY ROHM AND HAAS COMPANY □(U.K.) LTD, JARROW, U.K. □BAY PORT, TEXAS , USA

PRECAUTIONS KEEP OUT OF REACH OF CHILDREN

DANGER

CORROSIVE, CAUSES EYE DAMAGE AND SKIN BURNS, MAY CAUSE ALLERGIC SKIN REACTION, MAY BE HARMFUL IF INHALED, MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. POTENTIAL SKIN SENSITIZER.

Do not get into eyes, on the skin, on clothing. Do not swallow. Wear long pants, a long sleeved shirt, chemical-resistant gloves, a full face NIOSH-approved respirator and a chemical-resistant apron during mixing/loading, clean up, and repair. Avoid breathing vapours and spray mist. Do

not take internally. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash separately from other laundry before reuse.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Avoid alcohol.

Probable mucosal damage may contraindicate the use of gastric lavage, Measures against circulatory shock, respiratory depression and convulsions may be needed. Skin burns and corrosion may be delayed for several hours.

DIRECTION FOR USE: WOOD AND WOOD PRODUCTS:

Arch Mold Inhibitor K-18500 tank mixed with CCA is recommended for the protection of wood and wood products. Refer to the CCA product label for specific acceptable uses.

Treat with 7.5 ppm -12 ppm of Arch Mold Inhibitor K-18500 (7.5ml-12ml per 1000 liters, or 9.4 gm -15 gm per 1000 liters) in CCA-C dilute solution in the pressure treating process for mold and mildew control. Under extreme mold and mildew conditions the addition of Arch Mold Inhibitor K-18500 may be used up to a maximum concentration of 30 ppm (30 ml per 1000 liters or 37.5 gm per 1000 liters). Thoroughly wet and allow to dry. A single application will afford protection for up to 12 weeks. This product weighs 1.25 kg/liter (12.50 lbs per imperial gallon).

For further information on storage, handling, use, and disposal of treated wood, contact the manufacturer of this product or the provincial regulatory agency.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Store treated lumber on a roofed drip pad until dripping has ceased. Slope treated lumber on the drip pad to expedite drainage and to ensure that no puddles remain on the surface of the wood. Contain drippage and other related wastes to prevent release in the environment. DO NOT expose treated lumber to heavy rains immediately after treatment.

DO NOT float treated lumber in lakes, rivers, streams, or oceans.

STORAGE AND DISPOSAL PROHIBITIONS:

The product as supplied evolves gas (largely carbon dioxide) slowly. To pre-vent buildup of pressure the product is packaged in specially vented containers. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents thought the vent. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited, if plastic do not reuse empty container.

DISPOSAL:

- 1. Triple-or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements
- 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This control product is to be used only in accordance with the directions of this label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.