

2012-5054
2013-09-06

Farm premises
Pressurized Insecticide Spray

DISVAP SPRAY

SYNTHETIC INSECTICIDE PRESSURIZED SPRAY

WITH CITRONELLA FRAGRANCE

**INSECTICIDE
PRESSURIZED SPRAY**

**For use in milkhouses,
milking parlors, barns**

COMMERCIAL

SHAKE WELL
BEFORE USING

GUARANTEE
D-Trans-Allethrin : **0.50%**
Piperonyl Butoxide : **4.00%**

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

REGISTRATION NO. 25856 PEST CONTROL PRODUCTS ACT

DANGER

EXPLOSIVE EXTREMELY FLAMMABLE

**NET CONTENTS
565 - 595g (860 - 905 mL)**

**VÉTOQUINOL N.-A. INC.
2000 ch. Georges,
Lavaltrie, Qc, Canada J5T 3S5
Phone: 1-800-363-1700**

DIRECTIONS FOR USE: To control houseflies, stable flies and gnats.

Space Spray: Kills flying insects in barns, milking parlors and milkhouses. Cover milking utensils to prevent contamination from spray and dead insects, do not spray milking equipment (any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse). Do not use in rooms where milk is processed, handled or stored. Direct spray upwards to all parts of the room especially windows and other light sources. Apply at a rate of 1 to 2 seconds per 30 m³. Remove all animals from barn before using as a space spray. For best results, close all doors and windows during treatment. Ventilate treated areas thoroughly for at least 30 minutes before animal reentry. Spray only when temperature is under 32°C.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Do not contaminate food, feed or water troughs. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. Product is toxic to fish. Do not contaminate any body of water.

DISPOSAL:

When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with Provincial requirements. For Information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

CONTENTS UNDER PRESSURE:

Do not puncture or incinerate can. Do not store at temperature above 50°C or in direct sunlight. Do not use in presence of open flame or sparks.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.