KONK 499 CRAWLING INSECT KILLER

PRESSURIZED CONTACT & RESIDUAL CRACK, CREVICE & SPOT INSECTICIDE SPRAY DOMESTIC

For use indoors at buildings and outdoors on the exterior surfaces of buildings and porches, patios and decks to kill/control Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Millipedes, Silverfish, Ants, Dog & Cat Fleas, Carpet Beetles, American & Brown Dog Ticks, Cluster Flies, House Flies

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

ACTIVE INGREDIENTS

Pyrethrin 0.050%
N-Octyl Bicycloheptene Dicarboximide 0.250%
Permethrin 0.200%

REG. NO. 24856 P.C.P. ACT

CAUTION EXPLOSIVE

Net Contents **482 grams**

Acuity Holdings, Inc. 11627 - 178 STREET EDMONTON AB T5S 1N6

877 428 9937

DIRECTIONS FOR USE:

How to Apply:

For use as a spot or crack and crevice treatment to control insects listed on front panel.

SHAKE CAN WELL BEFORE USING. Test a small inconspicuous area for color fastness & staining before full application. Hold container approximately 30 cm from surface being sprayed and spray until wet. Cover fish bowls when spraying.

DO NOT apply as a space spray or broadcast application. Apply as an indoor crack and crevice or indoor or outdoor spot treatment only. Spot application is localized to surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room (indoors) or total surface area treated (outdoors). Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings. Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. When applied indoors, good sanitary practices should be maintained to prevent re-infestation.

Use Limitations for All Uses:

- DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed.
- Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment. Any food/feed accidentally contaminated with spray solution must be discarded.
- **DO NOT** apply when people, pets or livestock are present.
- DO NOT remain in treated areas after application.
- DO NOT allow people, pets or livestock to enter treated areas until sprays have dried.
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply to people, pets, livestock or sources of electricity.
- **DO NOT** apply to furniture, mattresses, linens, toys, or clothing.
- DO NOT apply to overhead areas or in confined spaces (for example, indoors in attics, crawlspaces, small storage rooms, closets indoors and outdoors to eaves and soffits).
- When applied indoors: Ventilate treated areas after application by opening windows and doors or using fans where required to aid in the circulation of air.
- When applied outdoors: DO NOT apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs).
- **DO NOT** apply to any body of water.
- **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty.
- When applied outdoors to the exterior surfaces of buildings and on listed structures: DO NOT treat soil, turf or
 other plants adjacent to the treatment site.
- DO NOT wet plants to the point of runoff or drip.
- **DO NOT** apply as a space spray or broadcast application.

FOR INDOOR USE AT BUILDINGS AND FOR OUTDOOR USE ON THE EXTERIOR SURFACES OF BUILDINGS AND ON PORCHES, PATIOS AND DECKS

Indoor Use:

To Kill Ants, Carpet Beetles, Cockroaches, Crickets, Earwigs, Millipedes, Sowbugs, Spiders and Silverfish:

Thoroughly treat indoor building surfaces in hard to reach places areas including, cracks, crevices in walls, floors and ceilings; along and behind baseboards; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., shelves, drawers, cabinets and storage units); around garbage containers; localized areas of floors and floor coverings; and points of entry (e.g., around windows and doors). DO NOT exceed 9 seconds/m2. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

To Kill American & Brown Dog Ticks and Dog & Cat Fleas:

DO NOT SPRAY PETS WITH THIS PRODUCT. Only treat pets with products specifically registered for use on that type of pet. Apply to indoor building surfaces, including cracks and crevices in walls and floors, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings. For effective flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area. **DO NOT** apply to linens, pet bedding, toys or clothing. **DO NOT** exceed 9 seconds/m2. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

Outdoor Use:

<u>To Kill Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Ants, Dog and Cat Fleas, American & Brown Dog Ticks, Millipedes, House Flies And Cluster Flies:</u>

For use outdoors on the exterior surfaces of buildings, garbage cans and on patios, porches and decks as a spot treatment. Apply to the outside surfaces of foundations, light fixtures, eave troughs and under eaves and places where listed pests enter (e.g., screens, doors, window frames). This product may also be applied to garbage cans and localized areas of patios, porches and decks.

House flies and cluster flies will be killed when they land and crawl on the treated surfaces. DO NOT exceed 9 seconds/m2. Treatment must only be repeated after 14 days if pest problem persists or reoccurs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, or clothing. **DO NOT** USE ON ANIMAL FEED AREAS. May cause skin and/or eye irritation. Contents under pressure. **DO NOT** place in hot water or near radiators, stove or other sources of heat..

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention

ENVIRONMENTAL PRECAUTIONS: Toxic to aquatic organisms. Toxic to birds. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas. Toxic to beneficial insects.

STORAGE: Store this product away from food or feed. DO NOT store at temperatures over 50°C.

DISPOSAL: When container is empty, press centre button to release all pressure, then dispose of in household garbage. **DO NOT** puncture or incinerate. **DO NOT** reuse the empty containers. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

TOXICOLOGICAL INFORMATION: Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. Treat symptomatically.