

2018-2393

2018-09-18

NET CONTENTS:

LOT NO:

Mergal® 165
BROAD SPECTRUM MICRO-BIocide

LEFT HAND PANEL

DIRECTIONS FOR USE:

METALWORKING FLUIDS, WATER-BASED HYDRAULIC FLUIDS, CHAIN LUBRICANTS AND SPIN FINISH EMULSIONS

The performance of this biocide may be influenced by the formulation type of the fluid and the duration of use. It is recommended that small scale trials be carried out before large scale industrial adoption of this product.

FOR COMPOUNDERS: Add Mergal®165 to the concentrate, in order to obtain 638 ppm of Mergal 165 in the final dilution.

FOR END USERS: Add 638 ppm Mergal 165 to the use dilution of the metalworking fluid at regular intervals.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

IN-CONTAINER PRESERVATION:

Since the level of contamination and the nature of the formulation can vary, we recommend testing formulations to confirm the effective level of Mergal 165. Contact the manufacturer for assistance.

Add 0.05 – 0.24% Mergal 165 to the formulation.

*Note: Not for use in adhesives having either direct or indirect food contact.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

CENTRE PANEL

**INDUSTRIAL
SOLUTION**

GUARANTEE:

Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine 78.5%

REGISTRATION NO. 25113
PEST CONTROL PRODUCTS ACT

**DANGER: CORROSIVE TO EYES
WARNING**



POISON

READ THE LABEL BEFORE USING **TROY CHEMICAL COMPANY LTD.**

C/O CSC CANADA INC.
200-160 Elgin Street
Ottawa, K1P 1C3
613-786-0155



PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE TO EYES.

Wear eye protection when handling. Do not get in eyes. Harmful or fatal if swallowed. Avoid skin contact. May irritate eyes. All mixers and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves, goggles or faceshield.

Formaldehyde can be released during use of this product. Ensure that formaldehyde air concentrations in the workplace do not exceed the exposure levels established by the occupational health and safety authorities in your jurisdiction (e.g. engineering controls, monitoring). If values exceed this level, wear NIOSH-approved respiratory protection.

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.