

2015-1190

2015-06-24

Principal Panel

Club Pro

Algaecide 40%

Liquid algaecide

Controls algae in
swimming pool waters

- NON FOAMING
- AIDS POOL CLARITY
- REDUCES CHLORINE DEMAND

DOMESTIC

REG. NO. 20284.14 P.C.P. ACT

GUARANTEE: Poly [(oxyethylene dimethyliminio) ethylene- (dimethyliminio) ethylene dichloride].....40%

1L

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

PIONEER DISTRIBUTION INC.
3230 MAINWAY
BURLINGTON' ONTARIO L7M 1A5
905-335-2335

Secondary Panel

- Kills and controls stubborn algae growth • Effective on green and other algae
- Helps flocculate dead algae and sediment to pool bottom for easy cleaning
- Effective at any pH

PRECAUTIONS

- KEEP OUT OF REACH OF CHILDREN. • Do not mix with any other chemical. • Harmful if swallowed. • Avoid contact with skin and eyes.

FIRST AID

IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **IF ON SKIN OR CLOTHING**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF SWALLOWED**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

DISPOSAL: Do not re-use empty container. Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE: For best distribution dilute Algaecide 40% in a pail of water and pour around pool. Vacuum to remove dead algae.

1. Initial dosage for pool water having no visible algae is 100 mL of Algaecide 40% per 10,000 L of pool water.
2. Weekly maintenance dosage is 35 mL of Algaecide 40% per 10,000 L of pool water.
3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait for at least 24 hours before adding weekly maintenance dosage.
4. For visible algae, when superchlorination is not employed, add 150 mL of Algaecide 40% per 10,000 L of pool water.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.