BUSAN 1020W INDUSTRIAL

READ THE LABEL BEFORE USING

REGISTRATION NO.: 25000 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT(S):



DANGER - POISON DANGER - CORROSIVE TO EYES DANGER - SKIN IRRITANT POTENTIAL SKIN SENSITIZER

NET CONTENTS: Litres; Kilograms

ENVIRONMENTAL HAZARDS: Toxic to fish and other aquatic organisms. Keep out of lakes, streams or ponds. Do not contaminate water, food, or feed by storage or disposal.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

Buckman Laboratories of Canada, Ltd.351 Joseph-Carrier Street, Vaudreuil-Dorion (Quebec) J7V 5V5

24-HOURS EMERGENCY TELEPHONE NUMBER: Chemtrec 703-741-5970

DIRECTIONS FOR USE

PRODUCT INFORMATION: Busan 1020W is a fumigant solution. When used as directed it will arrest internal decay and control insects present in Douglas Fir, Western Red Cedar and Southern Pine. During this sterilization of the treated area, a fungitoxic residue is deposited in the cells of the wood. This residue is effective for an indefinite period. Poles known to have internal decay should be scheduled for treatment before they have decayed to the point where replacement is necessary.

POLES: Consult the owner of the structure for acceptable drilling pattern and hole sizes prior to treatment.

When a pole is detected with decay or insect damage, dig the soil away from the base of the pole to a depth of 30 cm. Drill 8 mm (5/16 inch) holes in each quarter of the pole at ground line and one 8mm (5/16 inch) hole 61 cm above the ground line, preferable above the decay pocket. These holes should be at a 45 degree angle downward end to a depth equal to, or slightly greater than the radius of the pole. Inject equal amounts of Busan 1020W into all holes using a total of 500 ml per pole. In severely diseased poles, use 1 liter per pole. Plug the holes with treated wood plugs, using the precaution of wearing safety goggles to avoid splashing any of the liquid Busan 1020W into the eyes.

When the Busan 1020W treatment is for the control of insects, the pole should be wrapped over the treated area with 122 cm laminated kraft paper. Staple and seal the seam and top edge with masking tape. FOR THE CONTROL OF DECAY IN POLES, NO WRAPPING IS NECESSARY. Backfill and tamp the excavated area to form a seal against the kraft paper. The kraft paper should be removed and disposed of when convenient after 2 months.

For remedial treatment of wooden poles/timbers:

- 1. Plug the pre-drilled holes immediately after applications;
- 2. Do not treat structures/beams indoors;
- 3. Do not drill an application hole through seasoning checks to apply product. If the hole intersects a check, plug the hole and drill another. If more than 2 treatment holes intersect an internal void or rot pocket, re-drill the holes farther up the pole into relatively solid wood.

DO NOT apply this product to wood that will be used in water.

PRECAUTIONS DANGER KEEP OUT OF REACH OF CHILDREN

Fatal or Poisonous if swallowed or absorbed through the skin. DO NOT get on skin or on clothing. Harmful if inhaled. Avoid inhaling/breathing vapour or sprays. CORROSIVE to the eye and to skin. DO NOT get in eyes or on skin. Potential skin sensitizer.

Do not inhale vapours. Harmful if swallowed. Avoid contact with eyes, skin, clothing and the contamination of food. Wear coveralls over a long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves and protective eyewear during mixing, loading, application and all other handling activities.

Handler Use Precautions: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing. Wash contaminated clothing separately from other clothes before reuse. Store personal protective equipment out of reach of children and pets. Avoid touching 'clean' surfaces while wearing personal protective equipment (for example: steering wheel, door handles, counter tops), or thoroughly clean these surfaces afterwards with water and detergent. Remove personal protective equipment immediately after handling this product. Remove personal protective equipment in a predetermined area separate from living or working areas. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Avoid touching eyes and face until you have washed your hands. Never use the mouth to siphon product from containers or to blow out clogged lines, nozzles, etc. Repair/replace torn or broken personal protective equipment. Use hot water, heavy-duty liquid detergent, the highest water level setting, and the longest wash cycle. Keep and wash personal protective equipment separately from other laundry. If heavily soiled, wash personal protective equipment two or three times. After washing, run the washing machine through a complete cycle with detergent. If possible, line-dry the clothing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

STORAGE: 1. Store in a cool, dry, ventilated area. 2. Keep away from heat, fire and sparks. 3. Store in tightly closed original container. 4. Do not store below 0°C.

To prevent contamination, store this product away from food or feed.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION: Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage. Avoid giving alcohol or alcohol related product. Treat symptomatically.

DISPOSAL

2019-0259 2019-05-01

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- 1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.