

2019-6750
2020-05-28

Disvap Spray – English label – Main panel

DISVAP SPRAY

INSECTICIDE PRESSURIZED SPRAY

WITH CITRONELLA FRAGRANCE

- FOR MILKHOUSES
- MILKING PARLORS
- BARNES

COMMERCIAL

SHAKE WELL BEFORE USING

ACTIVE INGREDIENTS

Pyrethrins	0.5%
Piperonyl Butoxide	1.0%
N-Octyl Bicycloheptene Dicarboximide	1.0%

READ THE LABEL BEFORE USING

REGISTRATION NO.23959 - PEST CONTROL PRODUCTS ACT

DANGER



EXPLOSIVE



EXTREMELY FLAMMABLE

Code 02308036

NET CONTENTS 565 g

Vetoquinol N.-A. Inc.
2000, ch. Georges
Lavaltrie, QC, Canada J5T 3S5
1-800-363-1700

2019-6750
2020-05-28

Disvap Spray – English label – Side panel

DISVAP SPRAY kills flies before they can breed.

DIRECTIONS FOR USE

To control house flies, stable flies and gnats. Application on livestock intended for food production is prohibited. DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed (e.g. milk). Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment. DO NOT apply when a food/feed processing facility is in operation.

Space Spray: Kills flying insects in milking parlors, milkhouses and barns. Direct spray upwards to all parts of the room especially windows and other light sources. Apply at a rate of 1 to 2 seconds per 30 m³. Remove all animals from barn before using as a space spray. For best results, close all doors and windows during treatment. Spray only when temperature is under 32°C.

Crack and crevice: Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

Indoor Perimeter: Indoor perimeter application is less than 0.3 m wide along the edges of a room to baseboards, wall-floor and ceiling-wall joints, and around doorways or windows.

Spot: Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room.

Space spray: Space application is a suspension of fine droplets in the air within an indoor space.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during application, clean-up and repair. When applying to overhead areas or in confined spaces, wear appropriate respiratory and eye protection. Ventilate treated areas after application for at least 30 minutes either by opening windows and doors or through use of air exchange/ventilation systems confirmed to be operational. Use fans where required to aid in the circulation of air. DO NOT apply when people, pets or livestock are present. DO NOT remain in treated areas after application. DO NOT allow people, pets or livestock to enter treated areas until sprays have dried. DO NOT apply spray to drip or allow drift onto non-target surfaces. The commercial applicator is responsible for informing the homeowner, workers, etc. of this requirement. DO NOT contaminate food, feed or water troughs. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. Product is toxic to fish. Do not contaminate any body of water.

CONTENTS UNDER PRESSURE. Do not puncture or incinerate can. Do not store at temperatures above 50°C or in direct sunlight. Do not use in presence of open flame or sparks.

FIRST AID

If on skin or clothing: take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed: call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If inhaled: move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

2019-6750
2020-05-28

TOXICOLOGICAL INFORMATION

Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DISPOSAL

When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.