ABAMECTIN TECHNICAL

TECHNICAL

POWDER

INSECTICIDE

FOR MANUFACTURING, FORMULATING OR REPACKAGING

ACTIVE INGREDIENT: Abamectin........................92.1%

READ THE LABEL AND TECHNICAL BULLETIN BEFORE USING PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

DANGER



POISON

REGISTRATION NO.: 24484
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 3-20 kg

Syngenta Canada Inc.

140 Research Lane, Research Park Guelph, Ontario N1G 4Z3

Telephone: 1-877-964-3682

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If on skin/clothing, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

Early signs of intoxication include dilation of pupils, muscular incoordination and tremors. Toxicity following accidental ingestion of the technical product can be minimized by inducing vomiting within one half hour of exposure.

If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since avermectin B1 is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic avermectin B1 exposure. There is no specific antidote.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

Hazards to Humans and Domestic Animals

DANGER

FATAL IF SWALLOWED.

Harmful if absorbed through the skin. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe dust. Keep container tightly closed. Keep away from food, drink, and animal feeding stuffs. The following protective clothing must be worn during all handling and formulation operations: Airline mask or air supplied hood, chemical resistant goggles and gloves, full body garments with shoe protectors and head cover. Disposable clothing is recommended.

ENVIRONMENTAL PRECAUTIONS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters.

STORAGE

Store ABAMECTIN TECHNICAL in a cool, dry place away from food, drink, and animal feeding stuffs. If spilled, do not flush to waterways (see ENVIRONMENTAL HAZARDS). Carefully collect and containerize spilled material in a manner that produces the least amount of airborne dust. Suitable protective equipment should be worn during any spill cleanup operation (see PRECAUTIONS). Residual surface material may be removed with towels moistened with methanol.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING, CALL 1-800-327-8633 (FASTMED)

DIRECTIONS FOR USE

To be used only in the manufacture of a pesticide which is registered under the *Pest Control Products Act*.