SASCO PRODUCTS LIMITED

BORACOL 20 – 2

REMEDIAL WOOD PRESERVATIVE FOR STRUCTURES

Protection of Wood against Fungal decay and Insect Damage.

COMMERCIAL

READ THE LABEL BEFORE USING. KEEP OUT OF REACH OF CHILDREN.

GUARANTEE: (Na₂ B₈ 0₁₃, 4H₂0) Disodium Octaborate,Tetrahydrate 19.6%

NET CONTENTS: <u>1, 4, 20, 100</u> LITRE

REGISTRATION NO.: 24493 PEST CONTROL PRODUCTS ACT

Registrant:

Canadian Importer and Agent:

Kai R. SpangenbergsI/SSASCO Products Ltd.Mandal Alle 9A10 Ilsley Avenue, Unit 3MiddelfartDartmouth, Nova ScotiaDenmark DK-5500Canada B3B 1L3

DIRECTIONS FOR USE:

PRODUCT LIMITATIONS

- Boracol 20-2 is **not** to be used in habitable portions of dwellings or where prolonged human exposure may occur.
- Boracol 20-2 is **not** to be used in areas where the product is subject to leaching by direct water or rain.
- Boracol 20-2 is to be applied only by roller or spray equipment. The set up of outdoor dip treating equipment is prohibited.
- Boracol 20-2 is **not** to be applied in areas where food is stored, prepared or kept. Do not apply to food contact surfaces.
- Boracol 20-2 is **not** to be used on wood which is in direct ground contact.
- Boracol 20-2 is **not** to be used in animal rearing or farrowing pens.
- Treated wood must be sealed or used in locations where post-application exposure will not occur.

APPLICATIONS

In general:

- Apply Boracol 20-2 to wood, which is free of paint and other impermeable coatings. If a finish is to be applied over Boracol 20-2 be sure it is compatible.
- Remove structurally unsound timbers prior to treatment, if possible.
- Cover all electrical equipment to prevent Boracol entering electrical panels, junction boxes, switches, water heaters, etc. Remove insulation from contact with the wood to be treated.
- Boracol 20-2 can be used for the initial treatment of new structures and for the remedial treatment of existing wood structures where fungi, mould and wood boring insects may become established. Examples include: attics, ventilated crawl spaces, exterior decorative skirtages and siding which is protected from direct rainfall.

Boracol 20-2 is a clear solution of 19.6% disodium octaborate tetrahydrate and water. The product is designed to be applied full strength and should not be diluted. Apply to wood surface until refusal has occurred. Retreat if necessary.

The product will diffuse into wood. The rate and depth of penetration is somewhat dependent on time and the moisture content of wood. A depth of 3 - 5 mm penetration can be expected with greater penetration occurring with time.

Boracol 20-2 is an effective fungal and insect preventative treatment.

Boracol 20-2 is also effective for the remedial treatment of wood against established fungi and insect colonies. The product efficacy is dependent on the active ingredient contacting the fungi or insects and must be taken up by them in their wood destroying activities.

A level of 0.1 percent boric acid equivalent in wood is required for insect control. Insect colonies may exist deep in wood structures for several years (3-5). Remedial treatments of Boracol 20-2 will help control insects as they emerge and will reduce the likelihood of re-infestation.

COVERAGE

As specified. If the wood is already attacked by fungi or insects, it may absorb more.

CLEANING

Ordinary tap water will clean tools, etc., equipment and spillages.

PRECAUTIONS

2016-5726

2017-05-25

- KEEP OUT OF REACH OF CHILDREN.
- Apply/use only in areas inaccessible to children and pets.
- Do not apply as a broadcast application.
- May be harmful if swallowed. Avoid contact with eyes and skin. Use only in a well-ventilated area, wear freshly laundered clothes daily, store and wash all protective clothing separately from household laundry, wash clothes in detergent and hot water before reuse. Wear long pants, long sleeved shirt, chemical-resistant coveralls, and chemical-resistant gloves when loading and applying boron. For good hygiene practices, eye goggles or face shield is recommended when handling treating solution. Store out of reach of children. Store in a dry location and out of contact with food and feed.
- Wash hands thoroughly after handling this product and before eating or smoking. Do not contaminate groundwater.
- Cover valuable plants, gardens, etc. Borate can be toxic to vegetation.

FIRST AID

- If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
- If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.
- If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Contains disodium octaborate tetrahydrate and propylene glycol.

DISPOSAL

- 1. Triple or pressure rinse the empty container. Add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on the disposal of unused, unwanted product contact the Manufacturer, or the provincial Regulatory Agency. Contact the Manufacturer, and the provincial Regulatory Agency in case of spills, and for clean up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.