

AMERSTAT 1950 PRESERVATIVE **SOLUTION**

USE AS A PRESERVATIVE IN INDUSTRIAL, INSTITUTIONAL, AND CONSUMER
PROCESSES AND PRODUCTS
INDUSTRIAL

GUARANTEE:
Glutaraldehyde...50.0%

REGISTRATION NO. 25155
PEST CONTROL PRODUCTS ACT



DANGER CORROSIVE
POISON

READ THE LABEL BEFORE USING

Net Contents:
Lot #

ASHLAND

ASHLAND CANADA CORP.
2620 Royal Windsor Drive, Mississauga, ONTARIO L5J 4E7
Tel: (905) 683-0150
Fax: (905) 427-0688
AFTER HOURS: 1-800-274-5263

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DIRECTIONS FOR USE:

Do not open pour more than 20L of concentrate per day. Use an automatic addition system if using more than 20L of concentrate per day. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

AMERSTAT 1950 Preservative is recommended for use in aqueous or water containing products and systems, including industrial, institutional and consumer in-can processes and products, to control the growth of bacteria and fungi. For effective preservation, add AMERSTAT 1950

Preservative to the product formulation at a rate of 200 to 2000 ppm based on the water content of the product (0.2 to 2.0 g AMERSTAT 1950 Preservative / Kg water content). Mix uniformly. The maximum application rate for paint preservation is 100 ppm.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

DANGER – CORROSIVE. Causes irreversible eye damage. Causes skin burns. Harmful if inhaled. May be fatal if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, on skin, or on clothing. Avoid breathing vapour. Do not swallow. Wear coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, socks, chemical-resistant footwear, and eye protection during mixing, loading, application, clean-up and repair. Wash thoroughly with soap and water after handling. Use only in well ventilated area. Remove contaminated clothing and shoes and wash them before reuse.

STORAGE AND HANDLING:

AMERSTAT 1950 Preservative solutions are incompatible with many commonly used materials of construction such as steel, galvanized iron, aluminum, tin and zinc. These solutions can be stored and handled in baked phenolic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. This product freezes about -21°C. Therefore unless the storage tank is inside or underground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 38°C can be tolerated but the preferred maximum storage temperature is about 27°C.

A stainless steel centrifugal pump is suggested for transfer service. Spiral wound stainless steel with TEFLON is suitable for gaskets and packing.

To prevent contamination store this product away from food or feed.

FIRST AID :

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ENVIRONMENTAL HAZARDS:

Toxic to aquatic organisms.

DISPOSAL:

1. Triple- or pressure rinse the empty container. Add the rinsings to the treatment site.

2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.