

SASCO PRODUCTS LIMITED

BORACOL 20 - 2 BD

**PREVENTIVE & REMEDIAL WOOD PRESERVATIVE
FOR STRUCTURES**

Protection of Wood against Mould growth as well as
Fungal decay and Insect attack.

**COMMERCIAL
Solution**

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**



DANGER POISON

DANGER CORROSIVE

TO EYES & SKIN

GUARANTEE:

Boron (present as Disodium Octaborate Tetrahydrate..19.6%).....4.11%
Didecyl Dimethyl Ammonium Chloride1.0%

NET CONTENTS: 1, 4, 20, 200 LITRE

REGISTRATION NO.: 25664

PEST CONTROL PRODUCTS ACT

Kai R Spangenberg Eftf I/S
Mandal Alle 9A
DK-5500 Middelfart, Denmark

SASCO PRODUCTS LTD
10 Ilsley Avenue, Unit 3
Dartmouth, NS Canada

B3B 1L3

DIRECTIONS FOR USE:

PRODUCT LIMITATIONS

- **Not** to be used in habitable portions of dwellings or where prolonged human exposure may occur.
- **Not** to be used in areas where the product is subject to leaching by direct water or rain.
- To be applied only by roller or spray equipment. The set up of outdoor dip treating equipment is prohibited.
- **Not** to be applied in areas where food is stored, prepared or kept. Do not apply to food contact surfaces.
- **Not** to be used on wood, which is in direct ground contact.
- **Not** to be used in animal rearing or farrowing pens.
- Treated wood must be sealed or used in locations where post-application exposure will not occur.

APPLICATIONS

- Apply product to wood, which is free of paint and other impermeable coatings. If a finish is to be applied over Boracol 20-2 BD Preventative & Remedial Wood Preservative for Structures be sure it is compatible.
- Remove structurally unsound timbers prior to treatment if possible.
- Cover all electrical equipment to prevent Boracol 20-2 BD Preventative & Remedial Wood Preservative for Structures entering electrical panels, junction boxes, switches, water heaters, etc. Remove insulation from contact with the wood to be treated.
- Product can be used for the initial treatment of new structures and for the remedial treatment of existing wood structures where fungi, mould and wood boring insects may become established. Examples include: attics, ventilated crawl spaces, exterior decorative skirtages and siding which is protected from direct rainfall.

Boracol 20-2 BD Preventative & Remedial Wood Preservative for Structures is a clear solution of 19.6% disodium octaborate tetrahydrate and 1.0% didecyl dimethyl ammonium chloride in propylene glycol. The product is designed to be applied full strength and should not be diluted. Apply to wood surface until refusal has occurred. Retreat if necessary.

The product will diffuse into wood. The rate and depth of penetration is somewhat dependent on time and the moisture content of wood. A depth of 3 - 5 mm penetration can be expected with greater penetration occurring with time.

This product is considered effective in controlling wood decay, moulds and stains in wood, which is not in ground contact or directly exposed to rain. Wood, which is severely decayed, should be removed from service and replaced with new material prior to treatment. This product will not restore strength loss in wood from decay or insect damage. Ingestion of sufficient amount of wood treated with product, by termites and other wood boring insects, will result in control of these pests.

Boracol 20-2 BD Preventative & Remedial Wood Preservative for Structures is also effective for the preventative and remedial treatment of wood against established fungi, mould and insect colonies. The product efficacy is dependent on the active ingredient contacting the fungi or insects and must be ingested by them in their wood destroying activities.

A level of 0.1 percent boric acid equivalent in wood is required for insect control. Insect colonies may exist deep in wood structures for several years (3 - 5).

Remedial treatments of Boracol 20-2 BD Preventative & Remedial Wood Preservative for Structures will help control insects as they emerge and will reduce the likelihood of re-infestation.

COVERAGE GUIDELINES

Coverage depends partly on the surface texture.

Typical coverage for algae and mould on wood:

- to prevent attacks..... 3-6 m²/l

2016-5728
2017-05-25

- to eradicate established attacks.....2-3 m²/l
- Fungi in wood..... 1 m²/l*
- Insect attacks..... 1 m²/l*

* Divide between two applications.

CLEANING

Ordinary tap water will clean tools, etc., equipment and spillages.

PRECAUTIONS

- KEEP OUT OF REACH OF CHILDREN.
- Apply/use only in areas inaccessible to children and pets.
- Do not apply as a broadcast application.
- May be harmful if swallowed or inhaled. Corrosive to eyes and skin. Do not get in eyes or on skin or clothing. Do not inhale aerosols or vapours. Use only in a well-ventilated area; wear freshly laundered clothes daily; store and wash all protective clothing separately from household laundry; wash clothes in detergent and hot water before reuse. Wear long pants, long sleeved shirt, chemical-resistant coveralls, and chemical-resistant gloves and boots when loading and applying boron. Wear eye protection (goggles/face shield). Wear a cartridge respirator if the area is not well ventilated or when applying the product as a spray.
- Store out of reach of children. Store in a dry location and out of contact with food and feed.
- Wash hands thoroughly after handling this product and before eating or smoking. Do not contaminate groundwater.
- Cover valuable plants, gardens, etc. Boracols can be toxic to vegetation.

FIRST AID

- If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
- If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
- IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. The requirements of applicable laws should be determined before using the product.

TOXICOLOGICAL INFORMATION

Contains disodium octaborate tetrahydrate, didecyl dimethyl ammonium chloride and propylene glycol. Treat symptomatically.

DISPOSAL

1. Triple or pressure rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product contact the Manufacturer, or the Provincial Regulatory Agency. Contact the Manufacturer, and the Provincial Regulatory Agency in case of spills, and for clean up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

September 2016