1	Advantage™ 9 Flea Adulticide	
2	<u>Insert (English)</u>	
3		<elanco logo=""></elanco>
4	A. J. TM A	
5	Advantage™ 9	
6		
7 8	Flea Adulticide	
9	For cats 8 weeks and older weighing 4 kg and under	
10	Tor cats o weeks and older weighing 4 kg and under	
11	Once-A-Month Topical Flea Treatment	
12	Chec / Menur replear real realment	
13	LIQUID	
14		
15	READ THE LABEL AND INSERT BEFORE USING	
16		
17	FOR USE ONLY ON CATS	
18		
19	Do not use on other animals	
20		
21	KEEP OUT OF REACH OF CHILDREN	
22	WADNING	
23	WARNING	
24 25	V	
25	POISON	
26	EVE IDDITANT	
27	EYE IRRITANT	
28 29	DOMESTIC	
30	DOMESTIC	
31	ACTIVE INGREDIENT: Imidacloprid 9.1%	
32	Active interceptation in additional control	
33	REG. NO. 25128 P.C. P. ACT	
34		
35	One to Six 0.4 mL Tubes	
36		
37		
38		
39		
40		
41 42		
1 /		

- 43 Advantage 9 Flea Adulticide will control fleas on cats within one day of treatment and
- will continue to protect the cat from further flea infestation for up to four weeks.
- Reinfestation from the emergence of new fleas in the environment may continue to
- occur for six weeks or longer after treatment is initiated. Reapply every 4 weeks for
- 47 continual pest control in situations where there is an on going risk of pest infestation.
- 48 Treatment must only be repeated if pest problem reoccurs.

49 50

51

52

53

54

- Shampooing of the cat may shorten the duration of flea protection, therefore, reapplication following shampooing is recommended.
- For effective flea control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist an insecticidal premise treatment may be required.

555657

- For use on pregnant/lactating animals consult your veterinarian.
- The successive feeding activity of fleas on pets may elicit a hypersensitivity skin
- 59 disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage 9
- Flea Adulticide rapidly kills fleas and may reduce the incidence of this condition.
- Advantage 9 Flea Adulticide is safe to use concurrently with commonly used veterinary products. Consult your veterinarian before using on animals receiving drug treatment.

63 64

PRECAUTIONS:

65 66

67

68

69 70 HUMANS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, or absorbed through the skin. Causes eye irritation. DO NOT get in eyes. Avoid contact with skin and clothing. Wear rubber gloves when applying product. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with pets until dry. Do not contaminate water, feed or food by storage or disposal.

71 72 73

74

75

76

PETS: Do not use on animals under 8 weeks of age. Care should be taken to prevent exposure of other pets that may be in close physical contact with the treated animal. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. If signs persist, or become more severe, consult a veterinarian immediately.

77 78

Side Effects: Monitor your cat after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting or loss of appetite may also occur. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

79 80

82 FIRST AID:

83

- HUMANS: IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- 87 Call a poison control centre or doctor for treatment advice.
- 88 IF SWALLOWED, call a poison control centre or doctor immediately for treatment
- advice. Have person sip a glass of water if able to swallow. Do not induce vomiting
- unless told to do so by a poison control centre or doctor. Do not give anything by mouth
- 91 to an unconscious person.
- 92 IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately 93 with plenty of water for 15-20 minutes. Call a poison control centre or doctor for
- 94 treatment advice.

95

- PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.
- Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical or veterinary attention.

100

101 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

102103

STORAGE: Store container at room temperature.

104

DISPOSAL: Do not reuse empty container. Wrap empty tube and cap in newspaper and dispose with household garbage.

- 108 DIRECTIONS FOR USE:
- This product contains imidacloprid. Do not apply another pest control product such as a shampoo, collar, or powder that contains imidacloprid to the treated animal after applying Advantage 9 Flea Adulticide.
- Do NOT administer by mouth. Do NOT use on other animals. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.
- Treatment must only be repeated if the pest problem reoccurs.
- Do not use on cats under 8 weeks of age.
- Use only on cats weighing 4 kg and under.
- This product is packaged in single dosage tubes. This package contains 1 to 6 monthly 0.4 ml dosages. Treat your cat monthly in the manner described below. Do not apply a dosage higher than one 0.4 ml tube at a time.
- Remove one applicator from the package.
- Hold applicator tube in upright position. Pull cap off tube.
- Turn cap around and place other end of cap back on tube.

2022-0231 2022-01-31

- Twist cap to break seal, then remove cap from tube.
- Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to completely empty the contents directly on the skin. Do not get this product in your pet's eyes or mouth. The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product.
 - Until Advantage 9 Flea Adulticide dries, keep pet off furniture and away from hardwood floors. Discard the empty tube as described in "DISPOSAL".

133134

132

135 RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.

136

- 137 Elanco Canada Limited
- 138 1919 Minnesota Court, Suite 401
- 139 Mississauga, Ontario L5N 0C9

- 141 Advantage, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.
- 142 ©2022 Elanco or its affiliates.

143	<u>Advantage™ 9 Flea Adulticide</u>
144	<u>Carton (English)</u>
145	
146	<elanco logo=""></elanco>
147	
148	Advantage™ 9
149	
150	Flea Adulticide
151 152	for cats 8 weeks and older weighing 4 kg and under
153	Tor cass o weeks and older weighting 4 kg and under
154	Once-A-Month Topical Flea Treatment
155	Choc / Mohan Popisan Floa Froatment
156	LIQUID
157	
158	READ THE LABEL AND INSERT BEFORE USING
159	
160	FOR USE ONLY ON CATS
161	
162	Do not use on other animals
163	KEED OUT OF DEACH OF CHILDREN
164 165	KEEP OUT OF REACH OF CHILDREN
166	WARNING
100	
167	POISON
168 169	POISON
170	EYE IRRITANT
171	
172	DOMESTIC
173	
174	ACTIVE INGREDIENT: Imidacloprid 9.1%
175	
176	REGISTRATION NO. 25128 P.C.P. ACT
177	
178	One to Six 0.4 mL Tubes
179	Flores Organia Disease I
180	Elanco Canada Limited
181 182	1919 Minnesota Court, Suite 401
183	Mississauga, Ontario L5N 0C9 1-800-265-5475
1(),)	1-000-203-3473

- Advantage 9 Flea Adulticide will control fleas on cats within 1 day of treatment and will
- continue to protect the cat from further flea infestation for up to 4 weeks. Reinfestation
- 186 from the emergence of new fleas in the environment may continue to occur for six
- weeks or longer after treatment is initiated. Reapply every 4 weeks for continual pest
- control in situations where there is an on going risk of pest infestation. Treatment must
- only be repeated if pest problem reoccurs.
- 190 Shampooing of the cat may shorten the duration of flea protection, therefore, re-
- application following shampooing is recommended. For use on pregnant/lactating
- animals consult your veterinarian.

193

PRECAUTIONS:

194 195 196

197

198

199

200

HUMANS: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, or absorbed through the skin. Causes eye irritation. DO NOT get in eyes. Avoid contact with skin and clothing. Wear rubber gloves when applying product. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with pets until dry. Do not contaminate water, feed or food by storage or disposal.

201202203

204

205

206

PETS: Do not use on animals under 8 weeks of age. Care should be taken to prevent exposure of other pets who may be in close physical contact with the treated animal. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. If signs persist, or become more severe, consult a veterinarian immediately.

207208

Side Effects: Monitor your cat after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy. Gastrointestinal effects such as drooling, vomiting or loss of appetite may also occur. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.

209210

FIRST AID:

211

- 212 HUMANS: IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20
- 213 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue
- rinsing eye.
- 215 Call a poison control centre or doctor for treatment advice.
- 216 IF SWALLOWED, call a poison control centre or doctor immediately for treatment
- advice. Have person sip a glass of water if able to swallow. Do not induce vomiting
- 218 unless told to do so by a poison control centre or doctor. Do not give anything by mouth
- $\,\,$ to an unconscious person. IF ON SKIN OR CLOTHING, take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control
- 221 centre or doctor for treatment advice.

2022-0231 2022-01-31

er
er
and

2022-0231 2022-01-31

236	Advantage™ 9 Flea Adulticide
237	<u>Tube (English)</u>
238	<elanco logo=""></elanco>
239	
240	Advantage™ 9
241	
242	READ THE LABEL AND INSERT BEFORE USING
243	=
244	WARNING
245	\bigvee
246	POISON
247	
248	EYE IRRITANT
249	
250	DOMESTIC
251	
252	EXTERNAL USE ONLY
253	
254	ACTIVE INGREDIENT: IMIDACLOPRID 9.1%
255	
256	REG. NO. 25128 P.C.P. ACT
257	
258	Elanco Canada Limited
259	1919 Minnesota Court, Suite 401
260	Mississauga, Ontario L5N 0C9
261	
262	0.4 mL
263	