

**Advantage™ 10 Flea and Lice Adulticide**  
**Insert (English)**

<Elanco Logo>

Advantage™ 10

Flea and Lice Adulticide

For dogs 8 weeks and older weighing 4.5 kg and under

Once-A-Month Topical Flea and Lice Treatment

LIQUID

READ THE LABEL AND INSERT BEFORE USING

FOR USE ONLY ON DOGS

Do not use on other animals

KEEP OUT OF REACH OF CHILDREN

WARNING



POISON  
EYE IRRITANT

DOMESTIC

ACTIVE INGREDIENT: Imidacloprid 9.1%

REG. NO. 25130 P.C.P. ACT

One to Six 0.4 mL Tubes

44 Advantage 10 Flea and Lice Adulticide provides dual protection against fleas and lice.  
45 Advantage 10 Flea and Lice Adulticide will control fleas and lice on dogs within one day  
46 of treatment and will continue to protect the dog from further flea and lice infestations for  
47 at least four weeks. Reinfestation from the emergence of new fleas and lice in the  
48 environment may continue to occur for six weeks or longer after treatment is initiated.  
49 Reapply every 4 weeks for continual pest control in situations where there is an ongoing  
50 risk of pest infestation. Treatment must only be repeated if pest problem reoccurs.

51  
52 Shampooing of the dog may shorten the duration of flea and lice protection, therefore,  
53 re-application following shampooing may be necessary. For effective flea and lice  
54 control, treatment of the pet should be combined with the sanitation of any area used by  
55 the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash  
56 the pet's bedding, living quarters and surrounding areas. If pest problems persist an  
57 insecticidal premise treatment may be required.

58  
59 The successive feeding activity of fleas on pets may elicit a hypersensitivity skin  
60 disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage 10  
61 Flea and Lice Adulticide rapidly kills fleas and may reduce the incidence of this  
62 condition. Advantage 10 Flea and Lice Adulticide is safe to use concurrently with  
63 commonly used veterinary products. Consult your veterinarian before using on animals  
64 receiving drug treatment. For use on pregnant/lactating animals consult your  
65 veterinarian.

66  
67 **PRECAUTIONS:**

68  
69 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed, or  
70 absorbed through the skin. Causes eye irritation. DO NOT get in eyes. Avoid contact  
71 with skin and clothing. Wear rubber gloves when applying product. After handling or  
72 applying, wash hands (or any other skin that came into contact with the product) with  
73 soap and water. Avoid contact with pets until dry. Do not contaminate water, feed or food  
74 by storage or disposal.

75  
76 **PETS:** Do not use on animals under 8 weeks of age. Care should be taken to prevent  
77 exposure of other pets who may be in close physical contact with the treated animal.  
78 Individual sensitivities, while rare, may occur after using ANY pesticide product for pets.  
79 Smaller animals are more likely to experience an adverse reaction. Observe carefully. If  
80 signs persist, or become more severe, consult a veterinarian immediately.

81  
82  
83  
84

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
---

82  
83 **FIRST AID:**

84

85 HUMANS: IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20  
86 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue  
87 rinsing eye.

88 Call a poison control center or doctor for treatment advice.

89 IF SWALLOWED, call a poison control center or doctor immediately for treatment  
90 advice. Have person sip a glass of water if able to swallow. Do not induce vomiting  
91 unless told to do so by a poison control center or doctor. Do not give anything by mouth  
92 to an unconscious person.

93 IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately  
94 with plenty of water for 15-20 minutes. Call a poison control center or doctor for  
95 treatment advice.

96

97 PETS: If signs of sensitivity occur, bathe the pet with mild soap and rinse with large  
98 amounts of water. If signs continue, consult a veterinarian immediately. Take container,  
99 label or product name and Pest Control Product Registration Number with you when  
100 seeking medical or veterinary attention.

101

102 TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

103

104 STORAGE: Store container at room temperature.

105

106 DISPOSAL: Do not reuse empty container. Wrap empty tube and cap in newspaper and  
107 dispose with household garbage.

108

109 DIRECTIONS FOR USE:

110 This product contains imidacloprid. Do not apply another pest control product such as a  
111 shampoo, collar, or powder that contains imidacloprid to the treated animal after  
112 applying Advantage 10 Flea and Lice Adulticide.

113 • Do NOT administer by mouth. Do NOT use on other animals.

114 • Consult a veterinarian before using on sick, aged, pregnant or nursing animals or  
115 animals receiving drug or other pesticide treatment.

116 • A veterinarian should be consulted when pest infestation continues to be a problem  
117 on the pet.

118 • Treatment must only be repeated if pest problem reoccurs.

119 • Do not use on puppies under 8 weeks of age.

120 • Use only on dogs weighing 4.5 kg and under.

121 • This product is packaged in single dosage tubes. This package contains 1 to 6  
122 monthly 0.4 mL dosages. Treat your dog monthly in the manner described below. Do  
123 not apply a dosage higher than one 0.4 mL tube at a time.

124 • Remove one applicator from the package.

125 • Hold applicator tube in upright position. Pull cap off tube.

126 • Turn cap around and place other end of cap back on tube.

127 • Twist cap to break seal, then remove cap from tube.

128 • The dog should be standing for easy application. Part the hair on the dog's back  
129 between the shoulder blades until the skin is visible. Place the tip of the tube on the

2022-0231  
2022-01-31

- 130 skin and squeeze the tube to completely empty the contents directly on the skin. Do  
131 not get this product in your pet's eyes or mouth.
- 132 • Until Advantage 10 Flea and Lice Adulticide dries, keep pet off furniture and away  
133 from hardwood floors.
  - 134 • Discard the empty tube as described in "DISPOSAL".

135

136 RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.

137

138 Elanco Canada Limited  
139 1919 Minnesota Court, Suite 401  
140 Mississauga, Ontario L5N 0C9

141

142 Advantage, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.  
143 ©2022 Elanco or its affiliates.

144

**Advantage™ 10 Flea and Lice Adulticide**  
**Carton (English)**

<Elanco Logo>

Advantage™ 10

Flea and Lice Adulticide

For dogs 8 weeks and older weighing 4.5 kg and under

Once-A-Month Topical Flea and Lice Treatment

LIQUID

READ THE LABEL AND INSERT BEFORE USING

FOR USE ONLY ON DOGS

Do not use on other animals

KEEP OUT OF REACH OF CHILDREN

WARNING



POISON  
EYE IRRITANT

DOMESTIC

ACTIVE INGREDIENT: Imidacloprid 9.1%

REGISTRATION NO. 25130 P.C.P. ACT

One to Six 0.4 mL Tubes

Elanco Canada Limited  
1919 Minnesota Court, Suite 401  
Mississauga, Ontario L5N 0C9  
1-800-265-5475

185 Advantage 10 Flea and Lice Adulticide provides dual protection against fleas and lice.  
186 Advantage 10 Flea and Lice Adulticide will control fleas and lice on dogs within one day  
187 of treatment and will continue to protect the dog from further flea and lice infestations for  
188 at least four weeks. Reinfestation from the emergence of new fleas in the environment  
189 may continue to occur for six weeks or longer after treatment is initiated. Reapply every  
190 4 weeks for continual pest control in situations where there is an ongoing risk of pest  
191 infestation. Treatment must only be repeated if pest problem reoccurs.

192  
193 Shampooing of the dog may shorten the duration of flea and lice protection, therefore,  
194 re-application following shampooing may be necessary. For use on pregnant/lactating  
195 animals consult your veterinarian.

196  
197 **PRECAUTIONS:**

198  
199 **HUMANS: KEEP OUT OF THE REACH OF CHILDREN.** Harmful if swallowed, or  
200 absorbed through the skin. Causes eye irritation. **DO NOT** get in eyes. Avoid contact  
201 with skin and clothing. Wear rubber gloves when applying product. After handling or  
202 applying, wash hands (or any other skin that came into contact with the product) with  
203 soap and water. Avoid contact with pets until dry. Do not contaminate water, feed or  
204 food by storage or disposal.

205  
206 **PETS:** Do not use on animals under 8 weeks of age. Care should be taken to prevent  
207 exposure of other pets who may be in close physical contact with the treated animal.  
208 Individual sensitivities, while rare, may occur after using ANY pesticide product for pets.  
209 Smaller animals are more likely to experience an adverse reaction. Observe carefully. If  
210 signs persist, or become more severe, consult a veterinarian immediately.

211  

Side Effects: Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Elanco at 1-800-265-5475.
---

212  
213 **FIRST AID:**

214  
215 **HUMANS: IF IN EYES,** hold eye open and rinse slowly and gently with water for 15-20  
216 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue  
217 rinsing eye.

218 Call a poison control center or doctor for treatment advice.

219 **IF SWALLOWED,** call a poison control center or doctor immediately for treatment  
220 advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting  
221 unless told to do so by a poison control center or doctor. Do not give anything by mouth  
222 to an unconscious person.

223 **IF ON SKIN OR CLOTHING,** take off contaminated clothing. Rinse skin immediately  
224 with plenty of water for 15-20 minutes. Call a poison control center or doctor for  
225 treatment advice.

2022-0231  
2022-01-31

226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238

**PETS:** If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical or veterinary attention.

**TOXICOLOGICAL INFORMATION:** Treat the patient symptomatically.

**STORAGE:** Store container at room temperature.

**DISPOSAL:** Do not reuse empty container. Wrap empty tube and cap in newspaper and dispose with household garbage.

2022-0231  
2022-01-31

239  
240  
241  
242  
243  
244  
245  
246  
247  
  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265

**Advantage™ 10 Flea and Lice Adulicide**  
**Tube (English)**

<Elanco Logo>

Advantage™ 10

READ THE LABEL AND INSERT BEFORE USING

WARNING



POISON  
EYE IRRITANT

DOMESTIC

EXTERNAL USE ONLY

ACTIVE INGREDIENT: Imidacloprid 9.1%

REG. NO. 25130 P.C.P. ACT

Elanco Canada Limited  
1919 Minnesota Court, Suite 401  
Mississauga, Ontario L5N 0C9

0.4 mL