

CALYPSO PERMALGICIDE

KILLS ALGAE in swimming pool waters in only one operation

DOMESTIC

SOLUTION

GUARANTEE:

Elemental copper, present as copper sulfate 5%

REG. NO. 25470 P.C.P. ACT

WARNING

Staining of pool surfaces may occur due to deposits of copper salts. Excessive levels of copper will increase the probability of this occurrence.

CAUTION



POISON

Net contents

1 L

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Calypso enr., 42, rue de l'Artisan
Victoriaville, Québec, Canada G6P 7E3
1-866-470-7264.

DIRECTIONS FOR USE

CALYPSO PERMALGICIDE prevents algae growth in water. When applied to contaminated pool CALYPSO PERMALGICIDE will kill algae gradually (over several days). Initial and subsequent applications of CALYPSO PERMALGICIDE are dependent upon the water conditions, the amount of algae present and the pool usage.

1. For best results, maintain the recommended pH, Total Alkalinity, Calcium Hardness, chlorine (or other registered disinfectant) and copper levels correctly balanced. Monitor these key water parameters using an adequate test kit.
2. Initial dosage for pool water having no visible algae is 175 ml (200 g) of CALYPSO PERMALGICIDE per 10,000 L of pool water. (equivalent to 1ppm of copper)
3. Weekly maintenance dosage of CALYPSO PERMALGICIDE should maintain 0.5 to 1 ppm of copper.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

WARNING

Staining of pool surfaces may occur due to deposits of copper salts. Excessive levels of copper will increase the probability of this occurrence.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

DISPOSAL

Do not reuse empty container. Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

WARNING

Wait 48 hours after application of this product before using a shock treatment.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

ENVIRONMENTAL HAZARDS

TOXIC to aquatic organisms.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.