

2013-01-23
2012-1192

TABEX

BROMINE TABLETS

CONTROLS BACTERIA AND ALGAE
IN SWIMMING POOL WATER.

DOMESTIC

GUARANTEE:

Available Bromine present as
1-Bromo-3-Chloro-5, 5-Dimethylhydantoin
And related Hydantoins.....: 64%
Available Chlorine present as
1-Bromo-3-Chloro-5, 5-Dimethylhydantoin
And related Hydantoins.....: 28%

REGISTRATION NO. 25479
PEST CONTROL PRODUCTS ACT

DANGER - CORROSIVE TO EYES AND SKIN
POTENTIAL SKIN SENSITIZER

WARNING
POISON CORROSIVE

IRRITANT,

DANGEROUS GAS FORMED WHEN MIXED WITH ACID

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

C.L. Marketing Inc.
Halifax, Nova Scotia B4B 1J3
St-Antoine, Quebec J7Z 7A3
2770-24 Avenue N.E., Calgary, Alberta T1Y 6V7
403-250-2494

NET CONTENTS: 2 kg

TABEX BROMINE TABLETS

Tabex Bromine Tablets, when used as directed, are effective as a swimming pool water sanitizer.

WARNING: Direct tablet contact may cause bleaching of vinyl or painted pool surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other pool sanitizers to avoid the probability of an explosion.

DIRECTION FOR USE: The filtration system should be in proper working order; the pH adjusted to between 7.2 and 7.8; the total alkalinity maintained at 100 to 150 ppm and the calcium hardness maintained at 150 to 300 ppm. A bromine residual of 1.0 to 2.0 ppm must be established in the pH adjusted pool. If this is accomplished with a granular hypochlorite product, follow use directions on that product label. If the residual is established with Tabex Bromine Tablets in a brominator, use the brominator at the highest feed rate following the manufacturer's instructions. When the bromine residual reaches 1.0 to 2.0 ppm, adjust the feeder accordingly. To maintain a bromine residual, adjust the brominator feed rate to assure a constant treatment level of 1.0 to 3.0 ppm in residential pools and 3.0 to 5.0 ppm in larger, heavily used pools (normally 30 g to 180 g of this product per 10,000 litres of pool water daily). Each Tabex Bromine Tablets weighs approximately 20 g. Actual use rates vary depending on organic load and environmental conditions. The regular use of a good test kit will determine if further adjustments are needed. Do not swim in the water if the residual is above 5.0 ppm. Periodic superchlorination of pool water is recommended. Follow label instructions of super chlorination product being employed. Do not contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Poisonous if swallowed. Do not breathe dust. Irritating to nose and throat. Corrosive to the eye and skin. DO NOT get in eyes or on skin. Exposure may result in severe chemical burns. Potential skin sensitizer. It is recommended to wear rubber gloves and goggles when handling product. Corrosive. Wash hands thoroughly after handling. Remove and wash contaminated clothing before reuse.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to

fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with the generation of heat, hazardous gases, and possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. If necessary, flood with large volumes of water.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge where it will drain into lakes, streams, ponds or public waters.

STORAGE: Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area, away from heat, open flame, sunlight and other chemicals.

DISPOSAL: Rinse container thoroughly before discarding. Do not reuse empty container. Offer for recycling if available, or dispose in accordance with local and provincial regulations. For information on the disposal of unused, unwanted product, contact the Provincial Regulatory Agency or the manufacturer. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.