

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03/02/2025 in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

EVERGREEN® Emulsifiable 60-6

[] Indicates optional or alternate wording

[PYRETHRINS]

COMMERCIAL

REGISTRATION NO. 24927

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENT:

Pyrethrins.....	6.00%
* Piperonyl butoxide	60.00%

* Equivalent to 48.00% (butylcarbityl) (6-propylpiperonyl) ether and 12.00% related compounds

EVERGREEN® -Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN
SKIN IRRITANT



CAUTION

POISON

POTENTIAL SKIN SENSITIZER

NET CONTENTS: _____

Manufactured by:



7325 Aspen Lane North
Minneapolis, MN 55428
U.S.A.
(763) 544-0341

EPA Est. No. 1021-MN-2

Valent Canada Inc., 201-230 Hanlon Creek Blvd., Guelph, Ontario N1C 0A1, (519) 767-9262

DIRECTIONS FOR USE

Multi-purpose insecticide for use on ornamentals, stored products and livestock areas. Use alone as a clean-up spray or a pre-harvest spray.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The areas being treated must be vacated by unprotected persons. Do not enter treated areas until sprays have dried.

USED ALONE: This concentrate can be used also as a clean-up or a pre-harvest spray where other materials cannot be used because of residue restrictions. This product may be used up to and including day of harvest. Contains natural pyrethrins. Do not wet plants to the point of runoff or drip. As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

USED DILUTED: Apply 60 to 480 milliliters per .4 hectares and repeat if required to maintain effective control. Use in sufficient water for thorough coverage of upper and lower leaf surfaces (maximum of 380 L of water per .4 hectares) unless otherwise noted. It is recommended that the final spray mix be buffered to a PH of 5.5-7.0. Do not wet plants to the point of runoff or drip. As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Do not apply this product through any type of irrigation system.

ORNAMENTALS: Such as African Violet Aster, Azalea, Begonia, Calceolaria, Calendula, Calla, Camellia, Carnation, Cineraria, Chrysanthemum, Cypress, Daffodil, Dahlia, Dogwood, Elm Eucalyptus, Fern, Ficus, Geranium, Gladiolus, Gypsophila, Holly Juniper, Lily, Marigold, Oak, Peony, Petunia, Philodendron, Pine, Roses, Snapdragon, Sweet Pea, Tulips, Viburnum, Wandering Jew, Yew, Zinnia.

2023-2237
2024-02-06

FOR THE CONTROL OF INSECTS: Such as Ants, Aphids, Armyworms, Asparagus Beetle, Blister Beetles, Cabbage Looper, Caterpillars, Cockroaches, 12-spotted Cucumber Beetle, Colorado Potato Beetles, Corn Earworm, Crickets, Cross-striped Cabbageworm, Cucumber Beetles, Deer Fly, Diamondback Larvae, Fireworms, Flea Beetles, Fruit Flies, Fruittree Leafroller, Grape Leafhopper, Green Peach Aphids, Greenhouse Thrips, Gypsy Moth (adults & larvae), Harlequin Bug, Heliothis sp., Hornets, Horn Fly, Horse Fly, House Fly, Imported Cabbageworm, Leafhopper, Leafroller, Leaf-tiers, Lice, Mexican Bean Beetle, Mosquitoes, Potato Leafhopper, Psyllids, Silverfish, Skippers, Stable Fly, Stink Bugs, Tabanids, Thrips, Vinegar Flies, Wasps, Webworms, Whiteflies and Yellowjackets.

FOR USE AROUND HOMES AND OTHER BUILDINGS: Spray grassy areas around yard borders thoroughly, contacting as many insects as possible on upper and lower leaf surfaces to control ticks that may carry Lyme disease. Spraying should begin when the insects first appear. Do not wait until the plants are heavily infested. Outdoor broadcast application is to large outdoor structural surfaces (in other words, roofs, walls, doors, windows and foundations). Use a coarse droplet size and low pressure spray not exceeding 345 kPa (50 psi) to avoid splashing onto non-target surfaces.

FOR USE IN FOOD AND NONFOOD AREAS OF FOOD PROCESSING PLANTS, INDUSTRIAL INSTALLATION, BAKERIES, RICE AND WHEAT MILLS, RESTAURANTS, TOBACCO WAREHOUSES, GRAIN ELEVATORS AND WAREHOUSES: To kill flying insects such as fruit flies, house flies, hornets, wasps, grain moths, gnats, mosquitoes and skipper flies, dilute this concentrate at the rate of 1 part with 29 parts water (.95 L with 28.50 L water) up to 1 part to 11 parts water (.95 L with 11.4 L water). Use at the rate of 15 to 30 milliliters of dilute spray per 28.30 cu. meters of space. Direct the space treatment upward and whenever practical, keep doors and windows closed for at least 10 minutes after application. The use of this product in food processing or food handling establishments should be confined to time periods when the plant is not in operation. Food should be covered or removed during treatment.

Where oil residues are not undesirable, this product can be diluted at the rate of 1 part to 29 parts up to 1 part to 11 parts in deodorized base oil instead of water and applied as a space spray with any good type applicator such as mechanical or ULV fogger capable of producing particles of aerosol size.

FOR USE IN STORAGE SITES: This concentrate can be used in warehouse bins and trucks, cargo ships, mills, bin hoppers, elevators and conveying equipment as a cleanup prior to using them for storage. In mills and elevators, all grain infested accumulations should be removed from the bin hoppers. All storage areas and conveying equipment should be thoroughly cleaned by sweeping out the waste grain, cobwebs and other debris from the walls and rafters as well as on the floor and door frames with special attention to material lodged in the cracks and crevices. All of the debris should be removed and burned to kill eggs and insects that might be present.

For farms, particular attention should be given to cleaning up around the used feed and grain bags, grain residues from wagons, harvesting equipment and feed troughs. Newly harvested grain should not be placed in the same bin with carry-over grain and all carry-over grain stocks that are not treated with grain protectant should be fumigated. These cleaning operations should be done within two or three weeks before harvest.

After above sanitation measures have been employed, spray all areas prior to use for storage with 1 part to 29 parts water (.95 L with 28.50 L water) up to 1 part to 11 parts (.95 L with 11.4 L water). Apply at the rate of 3.8 L per 70 sq. meters on walls, floors, ceilings and partition boards of bins, paying particular attention to forcing the spray into all cracks and crevices. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

FOR USE IN LIVESTOCK AREAS:

- 1) To control poultry lice, using a dilution of 60 to 90 milliliters of concentrate per 3.8 L of water spray roosts, walls and nests or cages thoroughly.
- 2) For control of bedbugs and mites in poultry houses, dilute at the rate of 60 to 90 milliliters per 3.8 L of water and spray crevices of roost poles, cracks in walls and cracks in nests where the bedbugs and mites hide.

FOR USE IN BARN, DAIRIES, MILKING PARLORS, MILKING ROOMS AND POULTRY HOUSES: To control flies, gnats and mosquitoes, dilute at the rate of 60 milliliters per 3.8 L of water. REMOVE ANIMALS BEFORE SPRAYING. Apply as a fog or fine mist (at approximately 60 milliliters per 28 cu. meters of space), directing the spray toward the ceiling and upper corners, and not directly towards the animals or birds. For best results, close doors and windows before spraying, and keep them closed for 10 to 15 minutes. Applicator should vacate the treated area and ventilate it prior to returning. Milking equipment should be covered before spraying and washed thoroughly before use. Repeat application as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. Wash with soap and warm water after use. Avoid contamination of food and feedstuffs. Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. Remove all pets and birds and cover fish aquariums before spraying. Do not use or store near heat or open flame. When mixing, loading and applying, wear a chemical resistant apron over long sleeved shirt and long pants, chemical resistant gloves, and socks plus chemical resistant foot wear. When applying to overhead areas or in confined spaces, wear appropriate respiratory and eye protection. Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used. DO NOT apply when people or pets or livestock are present. DO NOT remain in treated areas after application. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment. Cover or remove all food/feed (including bulk tanks that contain

milk). Any milk accidentally contaminated with spray solution must be discarded. Cover or remove all milking equipment and thoroughly wash before use. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash them following treatment. DO NOT apply when a food/feed processing facility is in operation. DO NOT apply to furniture, mattresses, linens, pet bedding, toys or clothing.

"DO NOT allow people or pets or livestock to enter treated areas until sprays have dried. Apply only when the potential for drift beyond the area to be treated is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings. DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. If entering treated indoor areas prior to venting, wear chemical-resistant coveralls over long-sleeved shirt, long pants, chemical-resistant hood, chemical-resistant footwear, socks, chemical-resistant gloves, and a respirator with a NIOSH-approved organic-vapour-removing cartridge with a prefilter approved for pesticides OR a NIOSH-approved canister approved for pesticides. Apply only when the potential for drift beyond the area to be treated is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings. DO NOT apply in greenhouses or to greenhouse crops. Avoid contact with treated animals until dried.

2023-2237
2024-02-06

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL PRECAUTIONS: Toxic to wildlife. This product contains active ingredients and aromatic petroleum distillates which are toxic to aquatic organisms. This product contains active ingredients and aromatic petroleum distillates which are toxic to aquatic organisms. Observe buffer zones specified under DIRECTIONS FOR USE. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application of this product when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative filter strip between the treated area and the edge of the water body. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

Toxic to bees. This product is intended for use on yellow jackets, hornets and wasps only. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Triple or pressure rinse the empty container. Add the rinsings to the spray mixture in the tank. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for cleanup of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

EMERGENCY TELEPHONE NUMBER:

In case of Medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, information may be obtained by calling **1-888-740-8712**.