

2021-4300
2022-05-19

METASOL® TK-50 AD
SOLUTION

For use as a material preservative to inhibit the growth of mold and mildew in NON-FOOD CONTACT adhesive films, paint films, paper products, and natural and synthetic fibers

ACTIVE INGREDIENT:
Thiabendazole..... 50%

Contains 1,2-Dibromo-2,4-dicyanobutane at 0.025% as a preservative

COMMERCIAL

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 25792 PEST CONTROL PRODUCTS ACT

NET CONTENTS: _____

Lanxess Corporation
111 RIDC Park West Drive
Pittsburgh, PA 15275
1 800 LANXESS

TRANSPORTATION EMERGENCIES ONLY:

CANUTEC (Canada): 1-613-996-6666
CHEMTREC: 1-800-424-9300 (USA)
1-703-527-3887 (International)

ALL OTHER EMERGENCIES:

LANXESS: 1-800-410-3063 (USA)
1-866-673-6350 (Canada)

DIRECTIONS FOR USE

METASOL TK-50 AD can be added at any stage in the formulation, providing there is sufficient agitation to properly disperse it throughout the finished product. Levels will range from 0.04% to 0.2% (of product by weight) depending on the application. This can only be determined by laboratory evaluation.

PRECAUTIONS:

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS. Workers must wear a long-sleeved shirt, long pants and chemical resistance gloves during mixing, loading, clean-up and repair activities. Wash hands with soap and water after handling.

ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. **DO NOT** discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans and other waters.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment- advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control centre or doctor for further treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL

1. Triple or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the container unsuitable for further use.

4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.