

2012-01-05

2011-4211

Cardinal Ear Mite & Tick Control For Dogs & Cats
SOLUTION

KEEP OUT OF REACH OF CHILDREN

FOR USE ONLY ON DOGS AND CATS

Water base - Non-oily

GUARANTEE:

Pyrethrins.....0.06% Piperonyl

Butoxide.....0.60%

Contains sodium benzoate at 0.1% as a preservative

REG. No 24063 P.C.P. ACT

READ THE LABEL BEFORE USING.

DOMESTIC

Net Contents 118mL (4Fl.Oz.)

Cardinal Laboratories Inc. 710 S
Ayon Avenue Azusa, California
91702
1-800-433-7387

RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE

DIRECTIONS FOR USE: SHAKE WELL BEFORE USING.

To be used to eliminate ticks and mites in the ears of dogs and cats and for the relief from itching.

Apply 5 drops into the ears twice daily until ticks and mites are eliminated. Do not repeat treatment more than twice daily.

Treatment must only be repeated if pest problem continues/reoccurs. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Do not use on nursing animals.

Do not use on animals under 12 weeks of age. Discontinue use if adverse effects are observed. Do NOT administer by mouth.

A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

PRECAUTIONS: HUMANS: Harmful if swallowed. Avoid contact with skin, use rubber gloves. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and water.

FIRST AID:

HUMANS: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur, bathe the pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

TOXICOLOGICAL INFORMATION : Treat symptomatically

DISPOSAL: Do not reuse empty container. Wrap container in newspaper and discard with household garbage.

For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.