

(FRONT PANEL)

SUPERIOR inc

DOMESTIC

READ THE LABEL
BEFORE USING

SUPER HUNTER

OF MOSQUITOES
AND BLACKFLIES

For the control of
mosquitoes and blackflies
around the yard, camp,
cottage and patio

DANGER

POISON

KEEP OUT OF
REACH OF CHILDREN

FORMULATED FOR USE WITH ANY
TYPE OF FOGGING MACHINE OR A SPRAYER

NET CONTENTS 2 LITRES

REG. NO: 24699 PCP. ACT

GUARANTEE:

Contains phosphoric acid at 0.0085 % as a preservative.

PROPOXUR.....0.50%

Made by

Superior Control Product inc
3715 La Fayette(E), Boisbriand
Québec, Canada, J7H 1S4
888-689-2171

(SIDE PANEL)

FOR OUTDOOR USE in sprayers and all types of portable thermal foggers and attachments. Mosquito fogging insecticide contains BAYGON® insecticide for rapid knockdown and kill of adult mosquitoes and blackflies in outdoor areas.

DIRECTIONS: Mosquito fogging insecticide is a ready-to-use solution. For best results apply as a dense fog when there is a slight breeze allowing the fog to drift into the area of infestation. Ensure that humans, pets or other animal are not fogged or exposed to the drift from the fogging machines.

Fog while moving away from the area being treated. Apply the fog to completely envelop the area to be treated, contacting as many insects as possible. Apply at the rate of 60 mL per 100 square metres. The best time to fog is early in the morning or late in the evening, when adult mosquitoes and blackflies are active and when rising air currents are at a minimum and there is generally little wind. Allow fog to dissipate before occupying the treated area. Mosquitoes and blackflies that have been in contact with the fog should be controlled in 15 to 30 minutes after fogging application. When using a propane fogger, the equipment must be operated and maintained in accordance with the manufacturer's instruction manual.

PRECAUTION: May be harmful if swallowed. KEEP OUT OF REACH OF CHILDREN. Avoid inhalation or skin contact. Wash thoroughly after using, do not contaminate feed or food. Avoid contamination of animals, feeding areas, such as pastures and other foraging area, do not contaminate water supplies, streams, lakes or ponds. Do not use as an indoor space spray. Do not apply to animals or humans. Toxic to bees. Do not treat plants directly.

DISPOSAL: Do not reuse empty container. Dispose of container with household garbage.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Large doses of the active ingredient will result in cholinesterase depression. Atropine sulfate is antidotal, do not give morphine, watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically. Atropine is antidotal.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.