PRO® ATACK HORNET AND WASP KILLER

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY. FOR THE CONTROL OF WASPS, BEES, HORNETS AND YELLOWJACKETS.

DOMESTIC

REG. NO. 24838 P.C.P. ACT

GUARANTEE:

Pyrethrins 0.050%

Piperonyl Butoxide 0.100%

N-octyl Bicycloheptene Dicarboximide 0.167% Propoxur 0.500%

CAUTION



KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

NET CONTENTS: 350 g

Premier Tech Brighton Ltd. 1 avenue Premier Riviere-du-Loup QC G5C 6C1

DIRECTIONS FOR USE:

For the control of wasps, bees, hornets and yellowjackets, remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2 - 2.5 metres. To prevent insects from falling on skin and clothes, do not stand directly under nest. Allow sufficient time for insects to become dead or moribund. Applications to wasp nests should be made in late evening or early morning (if possible) when insects are at rest.

RESTRICTIONS: For outdoor use only. Do not use indoors. Outdoor application is limited to crack and crevice, structural and stinging insect nest treatments and must not be applied to vegetation, plants, grass and/or any area accessible to children. Do NOT use inside homes, on humans or animals. Do NOT use as a space spray.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not contaminate food, utensils, food preparation areas. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50°C as container may burst. Do not puncture or incinerate container.

FIRST AID:

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and P.C.P. Registration Number with you when seeking attention.

TOXICOLOGICAL INFORMATION:

This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, seating, blurred vision, nausea and diahhrea. Obtain medical attention or call a poison centre at once. Atropine is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically. Contains volatile petroleum distillate.

DISPOSAL:

When container is empty, press valve to release all remaining pressure. Do not throw into fire. Wrap and dispose of empty container in household garbage.