2011-5703 2012-06-06 ALGICIDE 40 Formula 6

SOLUTION

CONTROLS ALGAE In Swimming Pool Waters

DOMESTIC

REG. N°. 24405 LPA

DANGER CORROSIVE

GUARANTEE:

N-alkyl(40%C12, 50%C14, 10%C16) dimethyl benzyl ammonium chloride 40%

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 500mL, 1L

READ THE LABEL BEFORE USING

ARCALE DIST. INC.

48 rue Boucher, Mont Saint-Hilaire Québec J3H 2T6

450 464-9701

DIRECTIONS FOR USE

Initial dosage for pool water having no visible algae
is 50mL of Algaecide 40 Formula 6 per 10 000 L.
 Weekly maintenance dosage is 25mL per 10 000L.
 For pool water having visible algae, superchlorinate
following label instructions of superchlorination
product employed and wait for at least 24 hours
before adding weekly maintenance dosage.
 For visible algae, when superchlorination is not
employed, add 125mL of Algaecide 40 Formula 6 per 10 000 L.
 DO NOT apply when swimmers are in the immediate vicinity (a 15-minute restrictedentry interval is recommended)

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmfull if swallowed.

Wear rubber gloves when handling the product.

Do not mix with any other chemical. Avoid contact with skin and eyes.

DISPOSAL: Rinse container thoroughly before

discarding. Do not Reuse. For information on disposal of unused, unwanted products, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control centre or doctor for treatment advice.

If in eyes, Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present,

after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed, Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water

if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything

by mouth to an unconscious person.

If inhaled, Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration,

preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: treat symptomatically