GLB ALGIMYCIN POLY 40

Controls Algae in Swimming Pool Waters

CAUTION:

READ THE LABEL BEFORE USING **POISON** KEEP OUT OF REACH OF CHILDREN DOMESTIC

REG. No. 24737 P.C.P. Act

GUARANTEE:

Poly(oxyethylene(dimethyliminio)ethylene (dimethyliminio)ethylene dichloride)......40%

See side panel for additional precautions

NET CONTENTS 1 LITRE

Advantis Technologies Inc.

1400 Bluegrass Lakes Pkwy Alpharetta GA 30004 USA

Directions for Use:

- 1. Initial dosage for pool water having no visible algae is 100 mL of ALGIMYCIN POLY 40 per 10,000 litres of pool water.
- 2. Weekly maintenance dosage is 35 mL per 10,000 litres of water.
- 3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait for at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae growth, when superchlorination is not employed, add 150 mL of ALGIMYCIN POLY 40 per 10,000 litres of pool water.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes.

First Aid:

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Eye exposure: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Skin or clothing exposure: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Ingestion: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

TOXICOLOGICAL INFORMATION: Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.